

Excel 2016

Functions

Introduction

A **function** is a **predefined formula** that performs calculations using specific values in a particular order. Excel includes many common functions that can be used to quickly find the **sum**, **average**, **count**, **maximum value**, and **minimum value** for a range of cells. In order to use functions correctly, you'll need to understand the different **parts of a function** and how to create **arguments** to calculate values and cell references.


Optional: Download our [practice workbook](#).

Watch the video below to learn more about working with functions.

*Video removed from printing pages

The parts of a function

In order to work correctly, a function must be written a specific way, which is called the **syntax**. The basic syntax for a function is the **equals sign (=)**, the **function name** (SUM, for example), and one or more **arguments**. Arguments contain the information you want to calculate. The function in the example below would add the values of the cell range A1:A20.



Working with arguments

Arguments can refer to both **individual cells** and **cell ranges** and must be enclosed within **parentheses**. You can include one argument or multiple arguments, depending on the syntax required for the function.

For example, the function `=AVERAGE(B1:B9)` would calculate the **average** of the values in the cell range B1:B9. This function contains only one argument.

	A	B	C	D	E
1		1			
2		4			
3		5			
4		6			
5		8			
6		2			
7		3			
8		5			
9		6			
10		=AVERAGE(B1:B9)			
11					

Multiple arguments must be separated by a **comma**. For example, the function **=SUM(A1:A3, C1:C2, E1)** will **add** the values of all of the cells in the three arguments.

	A	B	C	D	E	F
1	4		6		20	
2	8		10			
3	12					
4						
5	=SUM(A1:A3,C1:C2,E1)					
6						

Creating a function

There are a variety of functions available in Excel. Here are some of the most common functions you'll use:

- **SUM:** This function **adds** all of the values of the cells in the argument.
- **AVERAGE:** This function determines the **average** of the values included in the argument. It calculates the sum of the cells and then divides that value by the number of cells in the argument.
- **COUNT:** This function **counts** the number of cells with numerical data in the argument. This function is useful for quickly counting items in a cell range.
- **MAX:** This function determines the **highest cell value** included in the argument.
- **MIN:** This function determines the **lowest cell value** included in the argument.

To create a function using the AutoSum command:


The **AutoSum** command allows you to automatically insert the most common functions into your formula, including SUM, AVERAGE, COUNT, MIN, and MAX. In the example below, we'll use the **SUM** function to calculate the

total cost for a list of recently ordered items.

- 1 Select the **cell** that will contain the function. In our example, we'll select cell **D13**.

	A	B	C	D
2	ITEM	QUANTITY	UNIT PRICE	LINE TOTAL
3	Tomatoes (case of 12)	3	\$17.44	\$52.32
4	Black Beans (case of 10)	5	\$20.14	\$100.70
5	All Purpose Flour (50 lb.)	5	\$14.05	\$70.25
6	Corn Meal/Maza (25 lb.)	5	\$18.69	\$93.45
7	Brown Rice (25 lb.)	5	\$10.99	\$54.95
8	Lime Juice (1 gallon)	5	\$11.99	\$59.95
9	Tomato Juice (case of 10)	3	\$19.49	\$58.47
10	Hot Sauce (1 gallon)	8	\$7.35	\$58.80
11	Salsa, Medium (1 gallon)	12	\$8.47	\$101.64
12	Olive Oil (2.5 gallon)	4	\$28.69	\$114.76
13	TOTAL			
14				

- 2 In the **Editing** group on the **Home** tab, click the **arrow** next to the **AutoSum** command. Next, choose the **desired function** from the drop-down menu. In our example, we'll select **Sum**.




- 3 Excel will place the **function** in the cell and automatically select a **cell range** for the argument. In our example, cells **D3:D12** were selected automatically; their values will be **added** to calculate the total cost. If Excel selects the wrong cell range, you can manually enter the desired cells into the argument.

	A	B	C	D
2	ITEM	QUANTITY	UNIT PRICE	LINE TOTAL
3	Tomatoes (case of 12)	3	\$17.44	\$52.32
4	Black Beans (case of 10)	5	\$20.14	\$100.70
5	All Purpose Flour (50 lb.)	5	\$14.05	\$70.25
6	Corn Meal/Maza (25 lb.)	5	\$18.69	\$93.45
7	Brown Rice (25 lb.)	5	\$10.99	\$54.95
8	Lime Juice (1 gallon)	5	\$11.99	\$59.95
9	Tomato Juice (case of 10)	3	\$19.49	\$58.47
10	Hot Sauce (1 gallon)	8	\$7.35	\$58.80
11	Salsa, Medium (1 gallon)	12	\$8.47	\$101.64
12	Olive Oil (2.5 gallon)	4	\$28.69	\$114.76
13				=SUM(D3:D12)
14				SUM(number1, [number2], ...)

- 4 Press **Enter** on your keyboard. The function will be **calculated**, and the **result** will appear in the cell. In our example, the sum of D3:D12 is **\$765.29**.

	A	B	C	D
2	ITEM	QUANTITY	UNIT PRICE	LINE TOTAL
3	Tomatoes (case of 12)	3	\$17.44	\$52.32
4	Black Beans (case of 10)	5	\$20.14	\$100.70
5	All Purpose Flour (50 lb.)	5	\$14.05	\$70.25
6	Corn Meal/Maza (25 lb.)	5	\$18.69	\$93.45
7	Brown Rice (25 lb.)	5	\$10.99	\$54.95
8	Lime Juice (1 gallon)	5	\$11.99	\$59.95
9	Tomato Juice (case of 10)	3	\$19.49	\$58.47
10	Hot Sauce (1 gallon)	8	\$7.35	\$58.80
11	Salsa, Medium (1 gallon)	12	\$8.47	\$101.64
12	Olive Oil (2.5 gallon)	4	\$28.69	\$114.76
13			TOTAL	\$765.29
14				

The **AutoSum** command can also be accessed from the **Formulas** tab on the **Ribbon**.



You can also use the **Alt+=** keyboard shortcut instead of the AutoSum command. To use this shortcut, hold down the **Alt** key and then press the **equals sign**.

Watch the video below to see this shortcut in action.

*Video removed from printing pages

To enter a function manually:

If you already know the function name, you can easily type it yourself. In the example below (a tally of cookie sales), we'll use the **AVERAGE** function to calculate the **average number of units sold** by each troop.

- 1 Select the **cell** that will contain the function. In our example, we'll select cell **C10**.

Frontier Kids Cookie Sales		
Troop Name	Troop ID	Units Sold
North Bend	#3506	1004
Silver Lake	#2745	938
Mountain Top	#1038	745
Rocky Trail	#3759	729
Forest Path	#4157	862
Green Valley	#1932	890
River View	#4233	775
Average Units		

- 2 Type the **equals sign (=)**, and enter the desired **function name**. You can also select the desired function from the list of **suggested functions** that appears below the cell as you type. In our example, we'll type **=AVERAGE**.

Frontier Kids Cookie Sales		
Troop Name	Troop ID	Units Sold
North Bend	#3506	1004
Silver Lake	#2745	938
Mountain Top	#1038	745
Rocky Trail	#3759	729
Forest Path	#4157	862
Green Valley	#1932	890
River View	#4233	775
Average Units		=AVERAGE


Returns the average of the numbers in the cell range.

- AVERAGE
- AVERAGEA
- AVERAGEIF
- AVERAGEIFS

- 3 Enter the **cell range** for the argument inside **parentheses**. In our example, we'll type **(C3:C9)**. This formula will add the values of cells C3:C9, then divide that value by the total number of values in the range.

Frontier Kids Cookie Sales		
Troop Name	Troop ID	Units Sold
North Bend	#3506	1004
Silver Lake	#2745	938
Mountain Top	#1038	745
Rocky Trail	#3759	729
Forest Path	#4157	862
Green Valley	#1932	890
River View	#4233	775
Average Units		=AVERAGE(C3:C9)

- 4 Press **Enter** on your keyboard. The function will be calculated, and the **result** will appear in the cell. In our example, the average number of units sold by each troop is **849**.



The screenshot shows an Excel spreadsheet with the following data:

Frontier Kids Cookie Sales		
Troop Name	Troop ID	Units Sold
North Bend	#3506	1004
Silver Lake	#2745	938
Mountain Top	#1038	745
Rocky Trail	#3759	729
Forest Path	#4157	862
Green Valley	#1932	890
River View	#4233	775
Average Units		849

The formula bar at the top shows the formula `=AVERAGE(C3:C9)` applied to cell C10.


Excel **will not always tell you** if your formula contains an error, so it's up to you to check all of your formulas. To learn how to do this, read the [Double-Check Your Formulas](#) lesson from our [Excel Formulas](#) tutorial.

The Function Library

While there are hundreds of functions in Excel, the ones you'll use the most will depend on the **type of data** your workbooks contain. There's no need to learn every single function, but exploring some of the different **types** of functions will help you as you create new projects. You can even use the **Function Library** on the **Formulas** tab to browse functions by category, such as **Financial**, **Logical**, **Text**, and **Date & Time**.

To access the **Function Library**, select the **Formulas** tab on the **Ribbon**. Look for the **Function Library** group.

Click the buttons in the interactive below to learn more about the different types of functions in Excel.



To insert a function from the Function Library:


In the example below, we'll use the **COUNTA** function to count the total number of items in the **Items** column. Unlike **COUNT**, **COUNTA** can be used to tally cells that contain data of any kind, not just numerical data.

- 1 Select the **cell** that will contain the function. In our example, we'll select cell **B17**.


	A	B	C	D
2	ITEM	QUANTITY	UNIT PRICE	LINE TOTAL
3	Tomatoes (case of 12)	3	\$17.44	\$52.32
4	Black Beans (case of 10)	5	\$20.14	\$100.70
5	All Purpose Flour (50 lb.)	5	\$14.05	\$70.25
6	Corn Meal/Maza (25 lb.)	5	\$18.69	\$93.45
7	Brown Rice (25 lb.)	5	\$10.99	\$54.95
8	Lime Juice (1 gallon)	5	\$11.99	\$59.95
9	Tomato Juice (case of 10)	3	\$19.49	\$58.47
10	Hot Sauce (1 gallon)	8	\$7.35	\$58.80
11	Salsa, Medium (1 gallon)	12	\$8.47	\$101.64
12	Olive Oil (2.5 gallon)	4	\$28.69	\$114.76
13			TOTAL	\$765.29
14				
15				
16	PURCHASE ORDER SUMMARY			
17	Total items ordered			
18	Most expensive item			
19	Average days in transit			
20				

- 2 Click the **Formulas** tab on the **Ribbon** to access the **Function Library**.


- 3 From the **Function Library** group, select the desired **function category**. In our example, we'll choose **More Functions**, then hover the mouse over **Statistical**.



- 4 Select the **desired function** from the drop-down menu. In our example, we'll select the **COUNTA** function, which will count the number of cells in the **Items** column that are not empty.



- 5 The **Function Arguments** dialog box will appear. Select the **Value1** field, then enter or select the desired cells. In our example, we'll enter the cell range **A3:A12**. You may continue to add arguments in the **Value2** field, but in this case we only want to count the number of cells in the cell range **A3:A12**.
- 6 When you're satisfied, click **OK**.



- 7 The function will be **calculated**, and the **result** will appear in the cell. In our example, the result shows that a total of **10 items** were ordered.

	A	B	C	D
2	ITEM	QUANTITY	UNIT PRICE	LINE TOTAL
3	Tomatoes (case of 12)	3	\$17.44	\$52.32
4	Black Beans (case of 10)	5	\$20.14	\$100.70
5	All Purpose Flour (50 lb.)	5	\$14.05	\$70.25
6	Corn Meal/Maza (25 lb.)	5	\$18.69	\$93.45
7	Brown Rice (25 lb.)	5	\$10.99	\$54.95
8	Lime Juice (1 gallon)	5	\$11.99	\$59.95
9	Tomato Juice (case of 10)	3	\$19.49	\$58.47
10	Hot Sauce (1 gallon)	8	\$7.35	\$58.80
11	Salsa, Medium (1 gallon)	12	\$8.47	\$101.64
12	Olive Oil (2.5 gallon)	4	\$28.69	\$114.76
13	TOTAL			\$765.29
14				
15				
16	PURCHASE ORDER SUMMARY			
17	Total items ordered	10		
18	Most expensive item			
19	Average days in transit			
20				

The Insert Function command

While the Function Library is a great place to browse for functions, sometimes you may prefer to **search** for one instead. You can do so using the **Insert Function** command. It may take some trial and error depending on the type of function you're looking for; however, with practice, the Insert Function command can be a powerful way to find a function quickly.

To use the Insert Function command:


In the example below, we want to find a function that will calculate the **number of business days** it took to receive items after they were ordered. We'll use the dates in columns **E** and **F** to calculate the delivery time in column **G**.

- 1 Select the **cell** that will contain the function. In our example, we'll select cell **G3**.


	A	E	F	G	H
2	ITEM	ORDERED	RECEIVED	IN TRANSIT	
3	Tomatoes (case of 12)	12-Oct	15-Oct	+	
4	Black Beans (case of 10)	12-Oct	17-Oct		
5	All Purpose Flour (50 lb.)	12-Oct	14-Oct		
6	Corn Meal/Maza (25 lb.)	12-Oct	15-Oct		
7	Brown Rice (25 lb.)	12-Oct	15-Oct		
8	Lime Juice (1 gallon)	16-Oct	20-Oct		
9	Tomato Juice (case of 10)	16-Oct	19-Oct		
10	Hot Sauce (1 gallon)	16-Oct	20-Oct		
11	Salsa, Medium (1 gallon)	19-Oct	23-Oct		
12	Olive Oil (2.5 gallon)	19-Oct	24-Oct		
13					

- 2 Click the **Formulas** tab on the **Ribbon**, then click the **Insert Function** command.


- 3 The **Insert Function** dialog box will appear.
- 4 Type a few **keywords** describing the calculation you want the function to perform, then click **Go**. In our example, we'll type **count days**, but you can also search by selecting a **category** from the drop-down list.



- 5 Review the **results** to find the desired function, then click **OK**. In our example, we'll choose **NETWORKDAYS**, which will count the number of business days between the ordered date and received date.



- 6 The **Function Arguments** dialog box will appear. From here, you'll be able to enter or select the cells that will make up the arguments in the function. In our example, we'll enter **E3** in the **Start_date** field and **F3** in the **End_date** field.
- 7 When you're satisfied, click **OK**.



- 8 The function will be **calculated**, and the **result** will appear in the cell. In our example, the result shows that it took **four business days** to receive the order.

	A	E	F	G	H
2	ITEM	ORDERED	RECEIVED	IN TRANSIT	
3	Tomatoes (case of 12)	12-Oct	15-Oct	4	
4	Black Beans (case of 10)	12-Oct	17-Oct		
5	All Purpose Flour (50 lb.)	12-Oct	14-Oct		
6	Corn Meal/Maza (25 lb.)	12-Oct	15-Oct		
7	Brown Rice (25 lb.)	12-Oct	15-Oct		
8	Lime Juice (1 gallon)	16-Oct	20-Oct		
9	Tomato Juice (case of 10)	16-Oct	19-Oct		
10	Hot Sauce (1 gallon)	16-Oct	20-Oct		
11	Salsa, Medium (1 gallon)	19-Oct	23-Oct		
12	Olive Oil (2.5 gallon)	19-Oct	24-Oct		
13					

Like formulas, functions can be copied to adjacent cells. Simply select the **cell** that contains the function, then click and drag the **fill handle** over the cells you want to fill. The function will be copied, and values for those cells will be calculated relative to their rows or columns.

	A	E	F	G	H
2	ITEM	ORDERED	RECEIVED	IN TRANSIT	
3	Tomatoes (case of 12)	12-Oct	15-Oct		
4	Black Beans (case of 10)	12-Oct	17-Oct		
5	All Purpose Flour (50 lb.)	12-Oct	14-Oct		
6	Corn Meal/Maza (25 lb.)	12-Oct	15-Oct		
7	Brown Rice (25 lb.)	12-Oct	15-Oct		
8	Lime Juice (1 gallon)	16-Oct	20-Oct		
9	Tomato Juice (case of 10)	16-Oct	19-Oct		
10	Hot Sauce (1 gallon)	16-Oct	20-Oct		
11	Salsa, Medium (1 gallon)	19-Oct	23-Oct		
12	Olive Oil (2.5 gallon)	19-Oct	24-Oct		
13					

To learn more:

If you're comfortable with basic functions, you may want to try a more advanced one like **VLOOKUP**. Check out our article on [How to Use Excel's VLOOKUP Function](#) for more information.

To learn even more about working with functions, visit our [Excel Formulas](#) tutorial.

Challenge!

- 1 Open our [practice workbook](#).
- 2 Click the **Challenge** tab in the bottom-left of the workbook.
- 3 In cell **F3**, insert a function to calculate the **average** of the four scores in cells **B3:E3**.
- 4 Use the **fill handle** to copy your function in cell **F3** to cells **F4:F17**.
- 5 In cell **B18**, use **AutoSum** to insert a function that calculates the **lowest** score in cells **B3:B17**.
- 6 In cell **B19**, use the **Function Library** to insert a function that calculates the **median** of the scores in cells **B3:B17**. **Hint:** You can find the median function by going to **More Functions > Statistical**.
- 7 In cell **B20**, create a **function** to calculate the **highest** score in cells **B3:B17**.
- 8 Select cells **B18:B20**, then use the **fill handle** to copy all three functions you just created to cells **C18:F20**.

9

When you're finished, your workbook should look like this:

	A	B	C	D	E	F
1	First Quarter Grades					
2	Student Name	Unit 1 Quiz 1	Unit 1 Test	Unit 2 Quiz 1	Unit 2 Quiz 2	Average
3	Jackson Love	70	75	88	90	80.75
4	Priya Patel	97	100	92	95	96
5	Sharia Clemmons	95	97	45	79	79
6	Ming Lu	91	93	89	95	92
7	Sadie Carter	86	84	93	89	88
8	Jensen Howard	54	70	87	72	70.75
9	Tyriq Hilton	77	85	76	90	82
10	Maria Saldana	100	96	93	87	94
11	Kyle Jacobs	90	89	91	93	90.75
12	John Feinstein	89	67	84	87	81.75
13	Carter Zhou	75	68	82	83	77
14	Jose Marco Hernandez	93	87	86	91	89.25
15	Betsy Michaels	90	95	80	73	84.5
16	Dexter Cooper	62	71	76	84	73.25
17	Quanisha Johnson	100	98	86	89	93.25
18	Lowest Score	54	67	45	72	70.75
19	Median Score	90	87	86	89	84.5
20	Highest Score	100	100	93	95	96