

Public Tender

Procurement measure within the scope of "PPE, tools and consumables for competency-based trainings in Maintenance of Manufacturing Machines"

Content

1.	Background	2
2.	Objective	3
3.	Delivery Terms	6
4.	Qualifications and Requirements	7
5.	Application Process	7



1. Background

The project "Improving the Quality and Attractiveness of Vocational Education and Training in Lebanon" aims to increasingly align vocational education and training in sectors with sustainable employment potentials with the needs of the Lebanese economy.

Emphasis is placed on improving the partnership between vocational training institutions and the private sector, strengthening human resource capacity in vocational training institutions, and developing practice-oriented training programs. The target groups of the project are young people, unemployed and underemployed adults who want to improve their employment prospects through qualifications relevant to the labour market.

The implementing partner is the Directorate General for Vocational and Technical Education (DGVTE), which lacks capacity at various levels to involve the private sector in vocational education and training. This concerns curriculum development, teacher training and the expansion of practical elements in teaching. The project's advisory approach includes establishing and advising coordination bodies with representatives of the state vocational training sector and company representatives at the macro and steering levels, piloting cooperation models between vocational training institutions and the private sector, systematic human resources development in public vocational training institutions and testing competency-based, modularized training programs.

This request for public tender is launched to support Output 3 of the QuA-VET project which aims to pilot modularised and practise-oriented vocational training education and training courses in cooperation with the DGVTE in public TVET schools and institutes in Lebanon, targeting the sector of maintenance of manufacturing machine (BT level).



2. Objective

This request for public tender is intended to identify a supplier who can provide and deliver to the specified delivery locations, the following described PPE, equipment, tools, and consumables within the set delivery date.

The goods are divided into 3 Lots:

- Lot 1: PPE and workshop furniture mainly
- Lot 2: mechanical and technical equipment for workshop mainly
- Lot 3: Household and cleaning equipment for workshop mainly

In each lot, products are classified A or B:

Prior to all goods delivery, the supplier is required to split the goods in 10 different batches for part A and 5 different batches for part B, i. e. each item is to be divided by 10 or 5 and delivered in one of the 10 or 5 designated schools. (For example: item 144 out of 10 pitchers, 2 will be delivered in each school). QuA-VET team will inspect, approve, and advise in case of needed modifications. Each batch of goods will be delivered to the following locations:

- Arsal Technical Institute (Part A & B): Delivery four (4) weeks after the contract signature
- Zgharta Technical Institute (Part A & B): Delivery four (4) weeks after contract signature
- Al Hermel Technical Institute (Part A & B): Delivery five (5) weeks after the contract signature
- Zahle Technical Institute (Part A & B): Delivery six (6) weeks after contract signature
- Riyak Technical Institute (Part A & B): Delivery seven (7) weeks after contract signature
- Bekaa Industrial Institute (Part A only): Delivery eight (8) weeks after contract signature
- Al Zarariya and Syr Technical Institute (Part A only): Delivery five (5) weeks after contract signature
- Nabatiyeh Technical Institute (Part A only): Delivery six (6) weeks after contract signature
- Chehim Technical Institute (Part A only): Delivery seven (7) weeks after contract signature
- Saida Technical Institute (Part A only): Delivery eight (8) weeks after contract signature

The products will be delivered within the above-mentioned time frame and in coordination with the respective project members. Delivery will be done to the schools' premises in the presence of a project member and of the school staff. Depending on the situations of the schools, delivery time may be subject to modification, the supplier will be notified at least 3 days before the day of delivery. In some cases, the delivery might change to a different school depending on the availability of the school staff.

giz

LOT1:

			LOT 1				
Item No.	Part	Short description	Description of Goods / Services	Sample picture	Qty per school	Total quantity	unit
1	A	Lockout / tagout tag	Danger, do not remove Tag Date, name, remark (English or arabic language) Vinyl or other solid material With metal ring	CHARGE OFFICE OFFICE	4	40	pcs
2	A	Safety tape	Tape for working site delimitation		2	20	roll
3	А	Infra-red thermometer for industrial use	Infrared thermometer for industrial use Temp range minimum -20deg to +500deg Celsius Digital display of temperature Accuracy +/- 1deg IP54 Optical resolution 20:1 Including battery Portable and measurement with one hand Laser acc. To IEC 60825-1: Class 2, 650 nm, <1 mW or equivalent international standard		2	20	pcs

4	А	PPE shoes	Safety	PPE - Heavy duty working shoes: - Slip-resistant and puncture-resistant soles - Protective toecap - CE Certificate 10 sets that include 15 pairs of shoes: Size: - 1 pair of 38 - 2 pairs of 39 - 2 pairs of 40 - 2 pairs of 41 - 2 pairs of 42 - 3 pairs of 43 - 2 pairs of 44 - 1 pair of 45	1	10	set
5	Α	PPE cloth	working	PPE - Workwear salopette type (Long sleeve, Up tp 70% Cotton and 30%Polyester) Size:each sett includes 15 salopettes: 3 Medium 5 Large 4 X Large 2 XXLarge 1 XXXLarge With reflecting strips Button or sleeve end are mandatory to prevent entabglement	1	10	set
6	В	PPE shoes	Safety	Identical to item 4	1	5	set
7	В	PPE cloth	working	Identical to item 5	1	5	set




8	В	Eye wash station	Wall mount eye wash station green color, with 2 bottles (approx 500ml each) of eye solution for emergency rincing (easy squiz for rapid intervention) Including manual	1	5	pcs
9	В	PPE safety helmet	PPE safety helmet (European norms: EN 397 or equivalent in International Standards): - Shock absorption, vertical - Penetration resistance (against sharp and pointed objects) - Flame resistance - Chin strap attachment: chin strap releases at 100N	15	75	pcs
10	В	PPE Eyewear	 for Metal cutting, Chipping, Grinding, Sanding, Polishing, Soldering, Machining. Safe from impact hazards and 99.9% of UV rays; Standards ANSI Z87.1 or similar; Clear lenses, have side shields; Protects eyes against debris, flying particles, dust, paint and smoke; 	20	100	pcs
11	В	PPE working gloves	PPE - Heavy duty gloves (European norms: EN 420, EN 388 or equivalent in International Standards)	100	500	pairs

12	В	PPE 1st aid kit	PPE - First aid kit Content: - Moist wipes - 2 Disposable gloves - Gauze pads (at least 10 x 10cm) - Adhesive bandages (band-aids) - One package gauze roller bandage at least 2 inches wide - Scissors - Tweezers - Directions for requesting emergency assistance - Sterile eye pads - Saline solution - 10 Safety pins	A Service Control of the Control of	4	20	pcs
13	В	Fire Blankets	Heat resistant material: 100% fiberglass, thickness of base fabric: approx. 0.30in Size: at least 4ft X 6ft in length by width Temperature resistant from at least 900 °C must comply with BS EN 1869:1997	FIRE BLANKET	2	10	pcs
14	В	Poles	Poles for working site delimitation		6	30	pcs
15	В	Limit tape	Tape for working site delimitation		2	10	pcs

16	В	Fire extinguisher	Fire extinguisher for fires class A, B and C, i. e. Dry chemical extinguisher		2	10	pcs
17	В	Exit signs	Standard green	EMERGENCY A -	2	10	set
18	В	Safety signs	Safety signs (set of 29) Printed each on A4 format, hard material, to fix on the wall	See annex 1	2	10	set
19	В	Slippery wet floor signs	Yellow plastic foldable signs	AUTION ALPPERY HER WET FLOOR Reversed	2	10	set
20	В	Floor jack	Jack Telescopic with Weight Lifting Capacity 1.5 Tons: max Capacity: 2.25 Ton Overall Length: 760 mm or longer Overall Width: 360 mm or wider Overall Height: 160 mm or higher Min Saddle Height: 100 mm or less Max Saddle Height: 530 mm or higher Stroke: 430 mm or more Handle Length: 1210 mm or longer		2	10	pcs

21	В	Spill kit	Spill kit for oil and similar fluids - up to 15l - Absorbing material, pads, socks Waste bags and ties - carrier - Including manual	PILE GO	2	10	kit
22	В	ear plugs	Ear foam	6	100	500	pcs
23	В	Earmuff	Noise cancellation in industrial environment		15	75	pcs
24	В	Safety Stickers	Please check on the annex 2 (10 copies of each sticker) 5 stickers per set Size A5	HICH VOLTAGE KEEP AWAY A WARNING Eyes hazard: Risk of eye into approved west area to this area	1	5	set





Annex 1: details of the safety signs:

Annex 1: deta	ils of the sat	tety signs:							
1)Fire flame and smoking prohibited	FIRE, NAKED FLAME & SMOKING PROHIBITED	2) Forbidden sign	0	3) Localisation of fire alarm	FIRE ALARM CALL POINT	4) Localisation of fire extinguisher	FIRE EXTINGUISHER	5) Danger crushing hazard	Crush Hazard. Stay clear of this area. Follow lock-out procedures before servicing.
6) Hearing protection	HEARING PROTECTION MUST BE WORN	7) Helmet, eye, and hearing protection		8) Face shield	FACE SHIELD MUST BE WORN	9) Wash your hands	Wash your hands	10) Warning eyes hazard	Risk of eye injury. Eye protection required in this area.
11) Localisation of 1 st aid kit	FIRST	12) Localisation of eye wash station	EMERGENCY EYE WASH	13) Danger high voltage	HIGH VOLTAGE KEEP CLEAR	14) Foot trap hazard	CAUTION Foot trap hazard	15) Warning entanglement hazard	A WARNING Entanglement hazard. Do not were loose clothing, powtry or long half while operating machine.
16) Warning sign		17) Warning, guards to be placed	WARNING WOULD BE A COMMENT OF THE PLACE PHOR TO OPERAT WO MACHINERY	18) Warning cylinders chained	KEEP CYLINDERS CHAINED	19) Danger electrical hazard	DANGER ELECTRICAL HAZARD	20) Warning shear hazard	AWARNING Shear hazard. Moving parts can cause severe injury. Lockedt power before inspection or service.

Improving the Quality and Attractiveness of Vocational Education and Training in Lebanon (QuA-VET)



GIZ-PN: 18.2208.9-001.00

21) Safety shoes	SAFETY SHOES MUST BE WORN	22) Eye protection		23) Head protection	Wear safety helmet	24) Safety / working cloth	Protective clothing must be worn	25) Warning Cutting hazard	Cut hazard. Keep hands clear of blade.
26) Warning trip hazard	A	Trip hazard. Watch your step.	27) Warning slipping hazard		PPING ZARD	28) Warning tripping hazard	Tripping Hazard	29) Warning noise area	High Noise Area! Hearing protection may be required.

Annex 2 details of the stickers:



giz

LOT2

LOTZ			LOT 2				
Item No.	Part	Short description	Description of Goods / Services	Sample picture	Qty per school	Total quantity	unit
25	Α	DC power supply	Separate DC power supply for laboratory: Input with classic plug 220V AV Output up to 30V DC Voltage (0-30V DC) and current (0-5A) should be adjustable by 2 levels of control (coarse and fine) a dn displayed by 2 LED displays 3 pins for output (plus, minus and ground) accessible with crocodile clip or banana plugs Diam 4mm	CUP NEW! CE YOU FALSE.	2	20	pcs
26	A	Set of crocodile cables	Set of 10 cables (length approx. 70cm) Crocodile clip on both sides, opening 1-2cm or compatible with banana plug 4mm Fully insulated At least 2 colors (Black and red) To resist up to 15A		1	10	set
27	A	L shape metal ruler	Stainless steel, 90 degree angle ruler Long side graduated ca. 30cm (metric system) double sided Short side with grip and thckness to fix an angle on a table		3	30	pcs
28	A	Bearing puller	2 jaws, wheel axe puller for heavy duty Spread / jaw opening: up to 10cm Axis travel up to 20cm 5T capacity With case for transport		3	30	pcs

gíz

29	A	Bearing puller hydraulic	Hydraulic bearing puller, heavy duty steel 3 jaws 15T capacity Jaw opening up to 30cm Reach up to 18cm (Axis travel up to 5cm) Incl. handle and accessories		1	10	pcs
30	A	Bearing mounting fitting kit	Set for installation of bearings (Heavy duty, dust free) Including impact rings, impact sleeves with sleeve plates for bearings with bore diameter up to 5.5cm Including Ratchet Handle and Impact Extension Bar With case for transport Hammer shall not be included in this kit as it is ordered separately		3	30	set
31	A	Spare ball bearing	ID 20mm X OD 42mm X W 12mm, 20 mm Ball Bearing 6004		10	100	pcs
32	A	3 in 1 oil	Oil for corrosion protection and lubricant	3-IN-ORE	3	30	bottle
33	A	Set of ratchets	Ratcheting socket wrench kit Incl. case for trasnport at least 40 pieces, with combination torque and insulted handles stainless steel Size of sockets metric		3	30	box
34	А	Ball valve lockout	Valve handle lockout, to prevent gas or fluid handle from opening or closing		2	20	pcs

			Locks in open and closed position Plastic With possibility to lock				
35	A	Dead blow hammer	Unibody modled, spark and rebound resistant Dimensions approx: Length approx. 30cm, head 5x10cm		3	30	pcs
36	A	plumber's wrench	Alloy stell Length approx. 45cm Heat treated jaw & nut Adjustable jaw opening		5	50	pcs
37	A	Tongue and grooved plier	Alloy steel, bi-material grip, length approx. 20cm	N. S.	5	50	pcs
38	A	Adjustable wrench	Length approx. 20cm	34	1	10	pcs
39	A	Chain and sprocket brush	1 end 3-side brushes 1 end scrubber Total length approx. 25cm		2	20	pcs
40	A	Kerosene or solvent for chain	Bottle of 1 L	KEROSA	2	20	bottle
41	A	Spanner wrench	Alloy steel, Adjustable hook 3 to 8 cm	(1855 H/4-3)	2	20	pcs

42	А	Emery cloth	Fine emery cloth (Grade 220 to 320) 5m minimum		3	30	roll
43	A	Lubricating grease	synthetic multi-purpose grease NLGI #2 or equivalent	Total condition of the	1	10	box
44	А	Oil pan	Oil drain pan, plastic, capacity min. 6L Depth min. 10cm With grip		1	10	pcs
45	A	Sandpaper	pack of 15 sheets - 5 sheet extra fine approx. 440-500 - 5 sheets fine 150-200 - 5 sheets medium 80-100 Size of a sheet A4 approx.	Heller Heller Heller Heller	4	40	pacl
46	A	Tubular drift (metallic sleeve) set, with different sizes	Metallic sleeve inner diameter 20mm, outer diameter22m, with a metal cover on one side to hammer bearings onto shaft		2	20	pcs
47	А	Dismantling pneumatic pipe tool	Disconnect tool for push-in pneumatic fitting, compatible with the other pneumatic goods delivered in this list		4	40	pcs

48	А	Set of Allen screws (from 4mm to 12 mm)	50 screws, different lengths		5	50	set
49	А	Set of nuts (from 4mm to 12 mm)	stainless steel, set of 50, to fit the above allen screw		5	50	set
50	A	FRL	531117 Air regulator ¼" or equivalent MSB4 – ¼- FRC5.J1M1		2	20	pcs
51	A	Pressure gauge	Compatible as spare part for the FRL on precedent line line, max diameter 4cm, range 0-1.6MPA / 0-16Bar	0 30 00 10 10 10 10 10 10 10 10 10 10 10 10	2	20	pcs
52	А	Flow regulator	Raccord reglage 8mm - 3/8" FIT-NSE-08-G03 or equivalent Male elbow fitting 8mm – 1/4" FIT-PL-08-G02-G or equivalent		10	100	pcs
53	Α	Airpipe	Air tube for pneumatic installation, polyurethena, outer Diameter 8mm (compatible with the FRL and and flow regulator in the precedent lines), inner diameter 5mm, blue color, 25m		1	10	roll

54	A	Silencer	MUFFLER VD 08 1/4" or equivalent		10	100	pcs
55	A	M20 Bolt	stainless steel, Length minimum 6cm		10	100	pcs
56	А	Air regulator filter element	Compatible for direct driven air compressor LB50B		2	20	pcs
57	A	Air compressor drain valve / cock	Compatible for direct driven air compressor LB50B		2	20	pcs
58	A	20 weight or 30 weight (non-detergent) compressor oil (1L)		SANCE STATE OF THE PROPERTY OF	1	10	bottle
59	В	Measuring tape	Measuring Tape (L: up to 5m, W: max 2.5cm)		6	30	pcs
60	В	Hammer	Set of 2 hammers with wood handle - 1 metal head - 1 rubber head (soft)		4	20	set
61	В	Pliers Set	Set of 5: Includes 6.5" long nose pliers, 6.5" diagonal pliers, 6" slip joint pliers, 7" linesmen pliers, 8" groove joint pliers Drop-forged steel for strength and durability	ก้ก็ก็ก็ที่	6	30	set

62	В	Screw Driver Kit	Material: Chrom vanadium Handle Material: Plastic / Rubber MagneticScrewdriver Tips 6" straight screwdriver Set of 6 Pcs, (3 flat-head and 3 phillips-head) size 6", 8" 10" and 12"		6	30	set
63	В	Set of Spanner / wrench	8PC, Concave Panel combination spanner set (5/16 inch to 1 inch)		6	30	set
64	В	Allen Key Set	Set of 10 pcs 1.5mm, 2,3,4,5,6,7,8,9& 10mm Heat Treated, Tempered Alloy Steel Provides High Strength and Resistance to Rotational Distortion		6	30	set
65	В	Toolbox	Heavy duty plastic toolbox: Foldable 1 layer, L: Up to 40cm, H: up to 20cm, W: Up to 20cm)		6	30	pcs
66	В	Hacksaw	Hacksaw (approx. L:25cm) with 2 additional blades		2	10	pcs
67	В	Level	Spirit level (length 50 to 60cm)	O (I)	2	10	pcs
68	В	Putty knife	4" fexible putty knife		6	30	pcs

69	В	Vernier caliper	Type A, flat and knife edge vernier caliper. For internal and external measurements. Measuring range 0-200mm. Stainless steel.		2	10	pcs
70	В	Plastic scrapper tool	Width ca. 7cm	11	4	20	pcs
71	В	Wire Keycap Puller	Plastic handle to pick keypad safely		2	10	pcs
72	В	Multi meter	Range - 0 to 1000V (AC/DC), 0-20 A, 0-1000 Ohm, Battery operated and pair of test leads, Extra function: backlight, data hold, auto power off, low battery indication. Adjustable back tilt device with hook-up design. CE certificate or equivalent is mandatory		6	30	pcs
73	В	Voltage & continuity tester	 2 pins for measurements 12V up to 690V ACDC Continuity test function IP65 battery included Voltage reading digital or by identified LEDs, no analog reading Single pole test for phase detection 		6	30	pcs
74	В	Load meter	True RMS clamp meter - Measures AC and DC current up to 400 A - Measures AC voltage and DC voltage up to 600 V - Provides True RMS AC voltage and current for accurate measurements on non-linear signals CE certificate or equivalent is mandatory		2	10	pcs

75	В	Tensiometer	Industrial belt tension tester, measuring force from 0-35 lbs (0-15.9 Kg. minimum) and belt tension from 0-560 lbs (0-255 Kg. minimum)		2	10	pcs
76	В	Buffing wheel	Electric sander and polisher with 10 inch buffing wheel with variable speed, for metal polishing Supply voltage 220v, 50Hz		1	5	pcs
77	В	Spare wheel	Spare wheel, cotton, compatible with previous line		2	10	pcs
78	В	Buffing counpound	Solid polishing compound, for use on CNC machine paint grade	The state of the s	2	10	pcs
79	В	Oiler	Oil can 300 to 400ml, metalic, with rigid or semi-rigid spout		3	15	pcs
80	В	Greasing tool	Manual grease gun fitting to standard cartridges		2	10	pcs
81	В	Greasing cartridge	Heavy duty grease cratridges (approx. 400g) fitting to the above tool	X-TRA HAVY CUM OR EASE HAVE TO THE	4	20	pcs
82	В	Grease tube	Grease tube 500g أنبوب شحم, Silicone grease for food processing machinery		4	20	pcs

83	В	Hydraulic oil	Hydraulic oil, bottle of 1l, for industrial use, high pressure and heavy load stress	2	10	pcs
84	В	dredger	Perforated scoop, metal, holes approx. 3-5mm, with handle	1	5	pcs
85	В	refractometer	Portable refractometer with protective housing, for measuring the coolant concentration in a liquid 0-32% brix scale, visual reading of the result on the device Automatic temperature adjustment Manual calibation device Droper for coolant collection	1	5	pcs
86	В	wire label	Set of 100 industrial wire labels, manual writing on the label	3	15	set
87	В	wire caps	Wire caps insulated, set of 100, different sizes 0.75mm2 to 16mm2	3	15	set
88	В	dial indicator	Professional dial test indicator with magnetic base: Dial size approx. 2.35" Range 0-1" Accuracy 0.001" With adjustable arm	2	10	pcs

89	В	electrical tester	Non contact voltage tester (inductance tester) LED on and sound when voltage is detected Voltage detection range : 90 V to 1000 V AC Safety Category IV CE certification		4	20	pcs
90	В	Machining Coolant / cutting oil	single coolant type popular in the Lebanese industry, it is known in the market as (soap oil "Zeit Sabon") as it turns the water's color to white Bottle of 20I minimum	HULE DE COUPE SOUBLE	1	5	bottle
91	В		One box or bag, different sizes, mainly 1,5mm2 (Has to fit with the wire)		1	5	box
92	В	Electric wires	One roll of minimum 3m, wire diameter 1.5mm2 (color not relevant)		1	5	roll
93	В	Terminal connectors	To fit the wires above, universal connectors with different number of pins	PCT-311 FCT-314	20	100	pcs
94	В	Electric screw driver	CE certification, small flat screwdriver, with indication if electri current present when pushing the upper part Texst voltage AC 100-500V Diam 3mm x minimum 140mm		4	20	pcs

giz

LOT 3 LOT 3 Part Short **Description of Goods / Services** Sample picture Total unit Qty Item description quantity No. per school Disposable 95 Α Disposable gloves, latex (Box of 50 pieces min.) 1 10 box gloves 96 Marker Indelible black and red markers, wide tip 10 Α set Cloth or piece of Microfiber cleaning cloth (size approx. L: 40cm, W: 97 2 20 Α set fabric 15*15 cm 20cm) - Degreaser multisurface, to remove dirt, grease and grime - NSF category K1 40 bottle 98 Α **WD40** 4 - For engines, gears, chains, industrial machinery, metal tools - 124oz minimum Liquid soap (dispenser of 500ml approx.) 2 20 99 Α soap pcs 100 Wire brush ca. 10cm, wood handle 4 Α Wire brush 40 pcs

101	A	Labels	Thermal Barcode Label Dimensions: 40 x 25 mm (approx.) for each label Each roll contains 1000 labels		2	20	roll
102	Α	Satcking closet	Shelf incl. at least 5 bins adjusted to the shelf's size, stackable and possible to withdraw each one separately from each other Dimension of one shelf Approx 1m high x 50cm x 50cm		3	30	pcs
103	A	Set of plastic boxes	Set of 6 plastic storage bins, hanging or stackable Dimension of one bin apprx. 15x10x8cm		2	20	set
104	А	ruler	Metal ruler L:25 to 30cm	The state of the s	3	30	pcs
105	A	Lint-free cloth	Set of 20 lint free cloths, for polishing of metal, heavy duty		1	10	set
106	А	Pipe thread compound	Plumber tape, to seal pipe connection, white		5	50	roll
107	A	Cleaning brush	Size approx 15x5 cm	Manual Control of the	5	50	pcs

108	A	Paint brush	Medium paint brush (Approx: 8cm width)		5	50	pcs
109	A	Tank	Plastic tank (25L minimum)		1	10	pcs
110	A	Towel	Terry clothes, 30x50cm approx.		10	100	pcs
111	A	Chlorine free detergent	Bottle of 2 L miminum	Section Collins Section Collin	3	30	bottle
112	В	PPE storage cabinet	 Dimensions approx. H1700 x W900 x D400mm 2 Doors – reinforced for added strength 3 Adjustable shelves 85kg Shelf load capacity Two point locking and two keys 		1	5	pcs
113	В	Trash bins	Set of 4 plastic bins, different colors, 35l, with covers		1	5	set

114	В	Foldable ladder	Safety foldable ladder (CE Certificate, Aluminum foldable safety ladder (H: Range between 2m and 2.2m, Load: 135kg, Telescopic design, anti-slip feet, Spring loaded, J locks, Standards AS/NZS1892)	1	5	pcs
115	В	Multiplug	Multi-plug extension cord (L: Range between 20 and 30m, 16A, 4 sockets, CE Certificate)	3	15	pcs
116	В	Platform cart	Moving Warehouse Push Hand Size approx: 900mm by 600mm (Baseboard) or larger Maximum load: 300 kg Height: approx. 850mm or higher with the wheels. Wheels type: 4 heavy duty 100mm PU Rubber Swivel, castor heavy duty steel plate with double ball bearings swivel head. Pack comes with 2x swivel with brake, 2x swivel Frame material: stainless steel Package included: 1x hauling cart (includes the 20 screws, 20 washers, 4 wheels), 1x instruction Certificate: CE, GS, TUV	1	5	pcs
117	В	Work Bench	 Iron Frame Frame Size approx 46"×21"×32" Wooden Top, thickness approx 5cm Must be strong enough to attach a vise clamp, suitable for wood working 	2	10	pcs

118	В	Ruler	Metal ruler L:25 to 30cm	6	30	pcs
119	В	Brush	Medium paint brush (Approx: 8cm width)	20	100	pcs
120	В	Marker	Indelible black marker, wide tip	6	30	pcs
121	В	Lock	Lock with keys, size of the moving part approx 2cm diameter	12	60	pcs
122	В	Absorbant broom with wringing bucket	Plastic bucket with wringing case, long broom with absorbing material	2	10	pcs
123	В	Bucket	Plastic water-bucket (minimum 20l, max. 30l)	2	10	pcs
124	В	Spray bottle	Plastic spray bottle (Capacity: approx. 400ml) Plastic bottle with trigger sprayer, Handheld sturdy and stable type -Chemically resistant, chlorine solution etcOperation capacity of 1 liter -Equipped with filter to protect the sprayer nozzle	6	30	pcs
125	В	Tank	Plastic tank (minimum 25L)	1	5	pcs



126	В	Broom and dustpan	Small broom and dustpan (Plastic, approx. L: 22cm, Handle up to 15cm)	2	10	pcs
127	В	Broom	Polypropylene Broom with a stick (Approximate L: 80cm)	2	10	pcs
128	В	Scrub brush	Plastic bristle scrub brush with handle (Approx. L: 18cm, W: 10cm)	6	30	pcs
129	В	Wire brush	Wire brush ca. 10cm, wood handle	6	30	pcs
130	В	Nail brush	Nail brush, plastic or wood bristle, approx 8cm	4	20	pcs
131	В	Zip ties	Plastic ties set of 100 with 2 different sizes (10 to 30 cm long, 3 to 5mm wide)	4	20	set
132	В	Electrician tape	Chatterton tape, 1 set of 7 different colors: blue, red, yellow, green, black, white, silver, for electrician use	7	35	set
133	В	Masking tape	Masking tape crepe paper (approx. 2cm wide)	16	80	pcs
134	В	Masks	Disposable face mask (Box of 50 pieces)	16	80	box

135	В	Disposable gloves	Disposable gloves, latex (Box of 50 pieces)		16	80	box
136	В	Tissue	Hand tissue double layer (500 sheets)		8	40	box
137	В	Hand sterilizer	Hand sanitizer, bottle of 500ml approx.	The Control of the Co	8	40	pcs
138	В	Sponge	Large commercial sponge		6	30	pcs
139	В	Industrial brite pad	Scour pads For household and heavy duty use Size 6" x 9" approx.		6	30	pcs
140	В	Soap	Liquid soap (dispenser of 500ml approx.)	**	16	80	pcs
141	В	Cleaning cloth	Microfiber cleaning cloth (L: 40cm, W: 20cm approx.)		40	200	pcs
142	В	Terry cloths	Terry clothes, 30x50cm approx.		4	20	pcs

143	В	Cotton rag	Cotton rag for houselhold	强	4	20	pcs
144	В	Steel wool	Steel wool hand pad, for cleaning	STEEL	8	40	pcs
145	В	Hand wash paste	Box of 500g approx.		8	40	pcs
146	В	Detergent	Liquid detergent for all purpose, bottle of 2l minimum	MUISOS	8	40	pcs
147	В	Commercial industrial degreaser	Commercial industrial degreaser, bottle of 2l minimum	Comments of the comments of th	4	20	pcs
148	В	WD40 degreaser	 Degreaser multisurface, to remove dirt, grease and grime NSF category K1 For engines, gears, chains, industrial machinery, metal tools minimum 124oz 	WO-40 WO-40 WO-40 WO -40 W	8	40	pcs
149	В	Rubbing alcohol	Rubbing alcohol for industrial and household application. Bottle of min. 2l	700 200 200 200 200 200 200 200 200 200	8	40	pcs

150	В	Stainless steel cleaner	Bottle of min. 750ml	STATE SAME	8	40	pcs
151	В	Funnel	Plastic funnel, for industrial use, small diameter max. 1cm		2	10	pcs
152	В	gloves for chemical use	Polyethylene gloves (Box of 10 pairs)		1	5	box
153	В	vacuum	Industrial vacuum, capacity min. 35l		1	5	pcs
154	В	moisteriser	Hand mosteriser, bottle of minimum 200ml	Segregation of the second of t	4	20	pcs
155	В	Pitcher	Capacity approx. 2l, for industrial use, with graduations in L, every 50ml	P	2	10	pcs

156	В	sterile gauze	Set of 50		2	10	set
157	В	adhesiv tape	Adhesive tape for medical purpose, set of 5 rolls	Date:	2	10	set
158	В	Handlamp	Handlamp for handy work, with ergonomic grip approx. 40W on/off switch Autonomy min 4h With rechargeable battery Housing shall withstand workshop envionment Magnet on the foot for installation in unpracticable place		2	10	pcs
159	В	Garbage bag	Garbage bag (minimum 30L, Wrap of 20 bags)		8	40	set
160	В	Barbecue	Height approx. 70cm Length approx. 1m Width approx. 40cm Simple metal container to contain fire		1	5	pcs



3. Delivery Terms

Delivery must be included in the offered prices according to the dates and locations stated in Chapter 2. No extra delivery price will be accepted.

4. Qualifications and Requirements

Potential suppliers should provide an offer for one or more lots.

The potential suppliers are obliged to submit the following documents within the framework of the public tender:

- Financial Offer: Filled excel sheet including the price (per unit and the total) of each item of the lot(s) they want to bid for.
- Technical offer including the following:
 - Name, brand, pictures, technical details, and certification of the products
 - Company portfolio (Company name, focal point, contact details, exact location, available product and services, old experience, year of establishment, availability of product and services)
 - Official registration document
 - Ministry of finance registration document
 - Certification for the goods where specified

Eligibility Criteria:

- The supplier must have an official registration in Lebanon (minimum requirement)
- The supplier should be ISO certified (preferred requirement)
- The supplier should be able to provide a 1-year warranty on the tools and equipment after delivery (minimum requirement)
- The supplier should be able to understand our procurement process (minimum requirement)

5. Application Process

The applicant shall submit the tender to LB_quotation@giz.de accompanied by copies of all the required documents (listed below) in PDF format on Sunday, 20.05.2023 by 23:59 Beirut Local Times at the latest.

The subject line of the mail must be clearly marked as follows: "Quotation for PPE, tools and consumables for competency-based trainings in Maintenance of Manufacturing Machines" with name and contact details containing the following:

- A description of legal form
- The registration papers
- The ministry of finance registration
- Company Profile

Offer validity: Please note that the offer should be valid for at least 2 months from the date of submission

All documents must be submitted in English. Handwritten translation is allowed.



Note: Only applications containing the mentioned documents will be taken into consideration.