

TAKALAM EXTENSION

ARCHITECTURAL BOQ

Atelier



For more info kindly contact us on 0096171755883 or pierrejosecharro@gmail.com

Table of Contents

Description

Preamble

Division 1: General Requirements

Division 2: Masonry

Division 3: Sound Proofing

Division 4: Plaster Works

Division 5: Doors and Windows

Division 6: Finishes

Division 7: HVAC

Division 8: Electrical

Division 9: Sanitary Works

General Summary

PREAMBLE

00000
00000
00000

Preamble

Item Description

1 Pricing

1.01 The items in the Breakdown for the Lump Sum do not necessarily contain full description of the required Works, and when pricing, the Tenderer shall allow in his unit rates for all obligations, liabilities and services stipulated in the relevant sections of all Tender and Contract Documents to provide and maintain a complete construction and installation.

1.02 The Tenderer shall, during his study of the Tender, address his queries, if any, to the Employer, who will study and clarify all such queries. Should the Tenderer during his study of the Tender, consider that there is any shortage, error or inconsistency in the Contract Documents, which would affect the rates/prices of his Tender, or the value of the works, the Tenderer must have all such points clarified by the Employer before submitting his Tender.

1.03 Tenders shall be strictly in accordance with the Tender Documents and shall not be qualified in any way. Any such qualification is liable to result in a Tender which is otherwise favorable, not being considered. The Tenderer shall therefore ensure that any explanatory or descriptive matter included with his Tender does not constitute a qualification to the Contract requirements and the provisions and conditions as stipulated in the Documents.

1.04 The Tenderer shall not alter the text of the Breakdown for the Lump Sum. Any alteration to the text inserted by the Tenderer shall lead to the rejection of the Offer.

1.05 The Breakdown for the Lump Sum shall be priced in United States Dollars. All payment made to the successful Tenderer in accordance with all certificates, accounts and similar documents relating to this Contract shall be in US\$.

The Tenderer shall satisfy himself as to the meaning of each item in the Breakdown for the Lump Sum. Unless otherwise itemized separately, the rates inserted by the Tenderer shall be deemed to cover all costs, expenses, risks, liabilities, obligations and services described in the Tender Documents, the full cost of the Works, including all direct and indirect expenses, sundry labors, overhead and profit, and all matters for the proper construction, completion and maintenance of the Works.

1.06

Unless otherwise itemized separately, these rates shall allow, but not by way of limitation,

1.07

- for complying with all Contract Documents;
- for any design required by the Contractor where expressly
- stated in the Contract;
- for all labor and material including samples, sampling and testing, waste, transport, mockups, and shop, fabrication and
- as-built drawings;
- for all temporary work of each description required including any that may be required by Sub-Contractors
- whether nominated or otherwise;
- for the provision and use of all equipment and plant of every kind, whether mechanical, non-mechanical or manual, required for the expeditious carrying out of the Works in
- their proper sequence;
- for shifting, altering and adapting such temporary work and equipment as may be required during the progress of the Works and removing at completion and making good any
- surfaces disturbed;
- for full customs and other import duties;
- for cooperation and coordination of the Works with his Sub-
- Contractors;
- for providing all required insurances and the like;
- for all necessary temporary services associated with the
- Works;
- for Maintaining the Engineer's site office;
- for providing until handing over, clean and uncontaminated water and all necessary adequate electrical power required
- for the works;
- for the work in connection with measurement and re-measurement of all variations ordered by the Engineer, and
- the final account;
- for daily site cleaning during execution of the Works and final cleaning after completion of the works including removing all waste, scrap and resulting materials to
- approved dumping areas;
- for overhead and profit;
- and for all other establishment charges and all costs of
- whatever nature.

No claim for additional payment or extension of time will be considered for any error or misunderstanding by the Tenderer in these respects.

- 1.08 Any item, which is not priced, shall be deemed to have been included in other rates and prices, and in the Contract Price.
- 1.09 The rates and final Contract Price inserted by the Tenderer in the Breakdown for the Lump Sum shall be in words and in figures. In case of discrepancy between the two, the rates written in words shall govern.
- 1.10 When pricing the Breakdown for the Lump Sum, the Tenderer must be aware of all site conditions.
- 1.11 The unit rates and prices inserted by the Tenderer shall apply throughout the Contract and to any additional work, which might be ordered by the Employer.
- 1.12 The Tenderer shall submit to the Employer, unless stated otherwise, a detailed breakdown of all his rates and lump sums prior to the signing of the Contract. The Tenderer shall liaise on this matter with the Employer.
- 1.13 The Tenderer should price all items he considers of value. If items are not priced by the Tenderer, they will be deemed to be of no value or that their value has been spread throughout the rates of other items.
- 1.14 The Tenderer shall price all items excluding taxes.
- 1.15 The Tenderer shall complete the collections at the end of each Division and carry the totals to the "General Summary" whose total shall be carried to the "Form of Tender".
- 1.16 The Tenderer shall allow in his rates for protecting all Works against damage by whatever method deemed necessary and approved. Any work damaged before the Works are handed over shall be replaced or made good at the Tenderer's expense and to Engineer's satisfaction.
The Tenderer is expected to take all necessary precautions to avoid damaging services and where they are interrupted to reconnect them immediately.
Any underground utility/service structure related to any local authority shall be properly disconnected, disposed, relocated and/or diverted under the supervision of the Engineer, and under the control of the relevant authority at no additional cost.
No separate payment shall be made and the rates in the Breakdown for the Lump Sum shall be deemed to cover adequately all costs.
The Tenderer's attention is drawn to the fact that the service authorities may impose, in addition to the cost of repair, statutory penalties. Details of these requirements may be obtained from the respective authorities.
- 1.17

Unit rates and lump sums inserted by the Tenderer in the Breakdown for the Lump Sum shall be fixed and not subject to variation. The Tenderer shall not be able to claim for any compensation due to difficulties in the works, shortage of labor, equipment or material, bad weather or unforeseen circumstances.

1.18

Any "Optional" or "Provisional" item included in the Breakdown for the Lump Sum, which is not carried out, shall be omitted from the interim and final statements. Any additional item of work carried out on the Engineer's written instructions shall be included in the relevant interim and final statements.

1.19

Any discount offered by the Tenderer shall be applied uniformly on a pro-rate basis to all items in the Breakdown for the Lump Sum, and to items of any necessary variation (if any) made by the Employer, which shall be a part of the Tender Documents. Discount shall not be applied against Provisional Sums inserted by the Employer in the Breakdown for the Lump Sum.

1.20

The Contractor shall include in his rate the cost and time effect of coordinating and fully assisting any other Nominated Sub-Contractors, if any, appointed by the Employer, during schedule overlapping in the utilization of all equipment and facilities, and maintaining all equipment (cranes, generators, safety barriers, site security, etc.) operational until the end of all trades of the entire project. No claim for additional payment or extension of time will be considered in these respects.

1.21

2

Measurement

The Quantities set-out in the Breakdown for the Lump Sum are estimated quantities and are intended to give a reasonable indication of the works shown on the Drawings, they are not to be taken as the actual and correct quantities of the Works to be executed by the Tenderer in fulfillment of his obligations under the Contract.

2.01

This is a **Lump Sum** Contract.

The estimated quantities set-out in the Breakdown of the Lump Sum are indicative, and the actual and correct quantities needed for the execution of the Works are the sole responsibility of the Tenderer.

All executed and accepted Works shall not be subject to re-measurement on site, and payment shall be made at the corresponding lump sum or rates on the estimated quantities shown in the Breakdown of the Lump Sum.

Only modifications and variation in extent of work ordered by the Engineer shall be measured and paid for as executed, completed and accepted by the Engineer, and shall be calculated as an addition or deduction to the Lump Sum of the Contract on the basis of approved rates presented by the Tenderer.

2.02

Permanent variations ordered by the Engineer, if any, shall be measured net as installed, with no allowance made for laps or waste, and irrespective of any trade, general or local customs.

All measurement shall be applicable only to finished work as completed, and no allowance shall be made for wastage, working spaces, bulking, shrinkage, overlaps, etc.; the principle of net measurement shall be applied to all permanent variations ordered by the Engineer, if any, under this Contract.

All measurement shall be rounded up or down to the nearest integer number, and exact half units shall be rounded up. Any thickness stated in this Document shall be the finished and specified thickness. The unit of measurement for each item shall be as indicated in the Breakdown of the Lump Sum.

2.03

Certain items in the Breakdown for the Lump Sum are designated "Provisional" or "Optional". The provision of such facilities as described in the items so designated, shall be used only upon written direction of the Engineer. If not used either wholly or in part, the amount not used shall be deducted from the Contract Price and no claim shall be entertained with respect to overhead charges or any other cost that may allegedly result therefrom.

2.04

Lump Sum items shall not be paid until all the requirements and obligations set forth in these respects are accomplished completely to the satisfaction of the Engineer; However, where Lump Sum items involve the Contractor in periodic costs, payment will be made at the Engineer's discretion.

2.05

3

Expressions, Notations and Abbreviations

The expression "approved shop drawings" shall be deemed to mean "shop drawings submitted by the Contractor and approved by the Engineer".

3.01

3.02 Whenever the expression "shown on the drawings" appears in the Breakdown for the Lump Sum, it shall be deemed to mean "shown on the Tender drawings and on approved shop drawings".

3.03 When the expression "ditto" appears under an item in the Breakdown for the Lump Sum, it shall be deemed to mean that the said item shall include the whole relevant description of the preceding item together with any description written before and/or after the said expression.

3.04 When the expression "extra-over" appears under an item in the Breakdown for the Lump Sum, it shall be deemed to mean that the said item shall be measured and paid for in addition to the measurement of the basic item to which it relates.

3.05 The following notations and abbreviations are used in the Breakdown for the Lump Sum:

- Millimeter mm
- Centimeter cm
- Linear Meter lm
- Kilometer km
- Square Meter m²
- Cubic Meter m³
- Kilogram kg
- Megapascal MPa
- Flange Pressure Rating PN
- Kilowatt kW
- Unit U
- Number №
- Lump Sum LS
- Provisional Sum PS
- Drawing Dwg.
- Value Added Tax VAT
- Breakdown for the Lump Sum BLS

End of Preamble

DIVISION 1 : GENERAL REQUIREMENTS

00000
00000
00000

Division 1: General Requirements

00000

Item	Description	Unit	Estimated Quantity	Unit Rate (US \$)	Amount (US \$)
------	-------------	------	--------------------	-------------------	----------------

Note

These General Requirements are applicable to the whole of the Works. If the Tenderer wishes to price any of the items contained herein then each such item, clause, or sub-clause must be individually priced. The Tenderer shall not enter any lump sums covering more than one or all items, clauses and sub-clauses. If the General Requirements item has not been priced it will be deemed that the value of such item, clause or sub-clause is included in the rates for measured items elsewhere in the Breakdown of the Lump Sum.

1 Preliminaries

1.01 Insurance

Provide the following insurances from an approved insurance company, all as detailed in the Conditions of Contract.

- Contractor's all risk insurance;
- Contractor's plant and equipment insurance;
- Workmen compensation insurance;
- Third party insurance;

LS 1

Lump Sum in Words:

1.02 Programme of Works

Prepare and submit to the Engineer for approval a detailed Construction Programme showing the proposed order and method to execute the Works, the dates upon which the various elements, trades, sections and items of the works will be started and completed, and the cash flow estimate, complete including monthly forty-five day program, all necessary revisions and updates, monitoring, all required supporting data, computer analysis and schedules, and all other related works, all as specified and to the satisfaction of the Engineer.

LS 1

Lump Sum in Words:

#REF! Monthly Progress Reports

Provide monthly progress reports showing the actual progress of work by identifying works commenced and/or completed during the previous month including progress photographs, works to be carried out during the following month, and the estimated time required to complete all activities and works in relation with the programme of works, all as specified and to the satisfaction of the Engineer.

LS 1

Lump Sum in Words:

#REF!

Shop Drawings and As-Built Drawings

Prepare and furnish to the approval of the Engineer all required and/or necessary Shop Drawings during the execution of the Works, and the required final As-Built Drawings on completion of the Works embodying all working drawings, detail drawings, as constructed drawings, and all approved latest amendments and variations to the Contract.

LS 1

Lump Sum in Words:

#REF!

Protection of Neighboring Properties

Take all measures necessary to protect neighboring constructions, buildings, roads, sidewalks and others from damage due to subsidence or other and from noise and other nuisances such as vibrations, dust and other disturbing elements, all as specified and to the satisfaction of the Engineer.

LS 1

Lump Sum in Words:

#REF!

Cost and Time Effect

Coordinate and fully assist any other Nominated Sub-Contractors (if any) appointed by the Employer, during schedule overlapping in the utilization of all equipment and facilities, and maintaining all equipment (cranes, generators, safety barriers, site security, etc.) operational until the end of all trades of the entire project.

No claim for any additional payment or extension of time will be considered in these respects.

LS 1

Lump Sum in Words:

2

Unforeseen Items

The Contractor shall list below any unmentioned Items that he considers to be of value and for which he wishes to include in his Tender, and shall include details of quantities and rates accordingly after the client's agreement.

2.01	<i>Unit Rate or Lump Sum in Words:</i>	Item	0
2.02	<i>Unit Rate or Lump Sum in Words:</i>	Item	0
2.03	<i>Unit Rate or Lump Sum in Words:</i>	Item	0
2.04	<i>Unit Rate or Lump Sum in Words:</i>	Item	0
2.05	<i>Unit Rate or Lump Sum in Words:</i>	Item	0

3 Provisional Items

The Client shall list below any Additional Items that he considers to add to the sope of work, and shall include details of quantities and rates accordingly after the contractor's agreement.

3.01	<i>Unit Rate or Lump Sum in Words:</i>	Item	
3.02	<i>Unit Rate or Lump Sum in Words:</i>	Item	
3.03	<i>Unit Rate or Lump Sum in Words:</i>	Item	
3.04	<i>Unit Rate or Lump Sum in Words:</i>	Item	
3.05	<i>Unit Rate or Lump Sum in Words:</i>	Item	

DIVISION 2 : MASONRY

00000
00000
00000

Division 2: Masonry

00000

Item	Description	Unit	Estimated Quantity	Unit Rate (US \$)	Amount (US \$)
02220	<u>Concrete Unit Masonry</u>				
	<p><i>Notes: - The Contractor shall submit to the Engineer for approval all necessary shop drawings of proposed construction details including all necessary stiffening columns and tie beams for masonry, and including lintel, jamps and sill detail for each opening whether it is shown on drawings or not.</i></p> <p><i>- Masonry walls shall comply with 1997 Uniform Building Code requirements as concerns resistance to seismic forces, and shall have at least the descriptions stated in the Technical Specifications and the details shown on the Drawings.</i></p>				
02220.1	<u>Concrete Masonry Unit</u> Hollow and/or solid concrete blocks supplied, installed, bedded and jointed with cement sand mortar mix (1:3), complete including all necessary reinforced concrete stiffening columns, tie beams, lintels, jamps and sills for masonry, reinforcements, dowels, stainless steel head restraints, mineral wool, sealant, all necessary galvanized steel wire mesh, accessories, steel angles and supports for masonry infills, and all other related works, all as specified, shown on the drawings and approved shop drawings, and to the satisfaction of the Engineer.				
02810.1.1	100 mm thick walls concrete blocks to protect the water proof				
		m ²		35	
	<i>Unit Rate in Words:</i>				
02220.1.2	120 mm thick walls concrete blocks.				
		m ²		90	
	<i>Unit Rate in Words:</i>				

DIVISION 3 : Sound Proofing

00000
00000

2025

Division 5: Doors and Windows

00000

Item	Description	Unit	Estimated Quantity	Unit Rate (US \$)	Amount (US \$)
------	-------------	------	--------------------	-------------------	----------------

03110 **Sound Proofing**
Supply and apply sound proofing membranes In the required double walls to insulate the Music therapy Room

M2 30

DIVISION 4-Plaster Works

00000
00000
00000
00000

025

Division 4: Plaster Works

00000

Item	Description	Unit	Estimated Quantity	Unit Rate (US \$)	Amount (US \$)
General Note					
<i>- Plastering works on masonry walls shall be carried out in accordance with standard construction practices, ensuring a smooth, durable, and uniform finish suitable for painting or other finishes. The scope includes surface preparation, application of base coats, and final finishing.</i>					
<i>- Surface Preparation: All masonry surfaces shall be cleaned, free from dust, loose particles, and efflorescence. Proper hacking and wire mesh shall be applied on joints between different materials to prevent cracks.</i>					
<i>- Materials: High-quality cement-sand mortar in a suitable mix ratio (typically 1:4 or as specified) shall be used for base plaster. Premixed or gypsum-based plasters may be used for final finishing if specified.</i>					
<i>- Application: Plaster shall be applied in two coats (base coat and finish coat) with a total thickness of approximately 15-20 mm unless otherwise specified.</i>					
<i>- Finish: Surfaces shall be leveled and smoothed using trowels and straight edges. Corners, edges, and openings shall be neatly finished with proper angles.</i>					
<i>- Curing: Freshly plastered surfaces shall be kept damp for a minimum of 7 days to ensure proper curing and prevent shrinkage cracks.</i>					
<i>- Tolerances: Surface evenness shall be within 3mm over a 2-meter straight edge.</i>					
		M2	180		

DIVISION 5: Doors and Windows

00000
00000
00000
00000

Division 6: Finishes

00000

Item	Description	Unit	Estimated Quantity	Unit Rate (US \$)	Amount (US \$)
05520	<u>Aluminum Windows & Doors</u>				
05520.2	<u>Aluminium windows</u>				
08520.2.1	Type WA04, sliding, double glazed consisting of 6 mm thick clear glass inner side, 8 mm thick void, and 6 mm clear outer glass. 205cm	No	4		
05520.3	<u>Aluminum doors</u>				
08520.2.1	Type DG02, single leaf. 100cm*220cm <i>Unit Rate in Words:</i>	No	1		
05530	<u>Wooden Doors</u>				
05530.1	<u>Glass Blocks Walls</u> Supply all material and accessories of wooden doors and apply all necessary works for installation where indicated on drawings as specified and to the satisfaction of the engineer. 100cm* full height door	No	4		

DIVISION 6: Finishes

00000
00000
00000
00000

13/02/2025

Division 7: HVAC

00000

Item	Description	Unit	Estimated Quantity	Unit Rate (US \$)
06220	<u>Vinyl Flooring & Surface Preparation</u>			
06220.1	<u>Vinyl Flooring</u> Vinyl flooring shall be of **heavy-duty commercial grade** , suitable for high-traffic areas, ensuring durability, ease of maintenance, and a long lifespan. The installation shall be carried out according to the manufacturer's specifications.			
06220.2	<u>Surface Preparation</u> Concrete subfloor shall be thoroughly cleaned, leveled, and smoothed. Any cracks or irregularities shall be filled with a suitable self-leveling compound.	M2	165	0.00
		M2	165	0.00
06300	<u>Paints and Coatings</u>			
06300.1	<u>Washable Acrylic paint for walls</u> Prepare surfaces and apply <u>one under coat, two coats of putty and two finishing coats</u> of an approved washable			
		m ²	270	
6900.2	<u>Acrylic paint for Ceiling</u> Prepare surfaces and apply <u>one under coat, two coats of putty and two finishing coats</u> of an approved paint	m ²	165	
06400	<u>Gypsum Board Ceiling Works</u>			
06400.1	<u>Gypsum board ceiling works shall be carried out with high-quality materials, providing smooth, durable, and crack-free surfaces, suitable for painting or other finishes. Installation shall be done as per approved shop drawings and manufacturer specifications.</u>	m ²	165	

06500

Bathroom Tiling Work

13/02/2025

06500.1

Tiling works for bathrooms include the supply, installation, and finishing of floor and wall tiles as per the approved design. All work shall be performed to ensure durability, water resistance, and a high-quality finish suitable for wet areas.

m²

22

paint

DIVISION 7: HVAC

00000
 00000
 00000
 00000

025

Division 8: Electrical

00000

Item	Description	Unit	Estimated Quantity	Unit Rate (US \$)	Amount (US \$)
07220	<u>HVAC (ACs & Radiators)</u>				
Notes	<u>All air conditioning units shall be of high efficiency, suitable for cooling and heating, designed for the Bekaa climate. The</u>				
07220.1	<u>24000 btu</u>	Nb	2		0.00
07220.2	<u>18000 btu</u>	Nb	1		0.00
07220.3	<u>12000 btu</u>	Nb	1		0.00
Notes	<u>Radiators shall be high-efficiency, suitable for the cold winter conditions of Zahle, Bekaa, providing consistent and reliable heating. The units shall be made from corrosion-resistant materials and compatible with a central heating system using diesel or gas boilers. Installation shall include all necessary valves, fittings, and connections.</u>				
07220.4	<u>60cm</u>	Nb	160		0.00

DIVISION 8 : Electrical Works

00000
 00000
 00000
 00000

025

Division 9: Sanitary Works

00000

Item	Description	Unit	Estimated Quantity	Unit Rate (US \$)	Amount (US \$)
00800	<u>Electrical Works</u>				
00800.1	<u>Sockets, Lighting, Switches,</u> Electrical works shall include the supply, installation, testing, and commissioning of all electrical components as per the approved drawings and standards. All wiring shall be concealed and performed in compliance with local and international codes.				
800.1.1	<i>Sockets and Power outlets Type 13a 220V Standard and waterproof types where required (bathroom)</i>	Item	20		
800.1.2	Switches High quality modular switches single pole or two way as per design	Item	7		
800.1.3	Lighting Fixtures Led Recessed black spot lights	Item	30		
	<i>Strip light 2cm</i>	M2	45		

DIVISION 9 : Sanitary Works

00000
00000
00000
00000

Division 9: Sanitary Works

00000

Item	Description	Unit	Estimated Quantity	Unit Rate (US \$)	Amount (US \$)
00900	<u>Bathroom Sanitary Works</u>				
00900.1	<u>Accessible Toilet</u> Bathroom sanitary works include the supply, installation, connection, and testing of all sanitary fixtures and fittings as per approved designs and specifications. All installations shall comply with accessible toilet plumbing codes and standards.				
900.1.1	Installation of washbasin and toilet (for accessible toilets)	Item	1		
900.1.2	Concealed hot and cold water supply lines using PPR pipes with proper insulation.	Item	1		
900.1.3	Installation of mirrors, towel holders, soap dispensers, and toilet paper holders.	Item	1		

General Summary

