Al Mouaten school BOQ & Specifications

Project:	Al Mouaten school Sanitairy Works
Organization:	World Vision Lebanon
Consultant :	Joseph Abdallah
Contractor:	
Date:	

	AMOUNT US \$
A ARCHITECTURAL WORKS	\$0.00
B ELECTRO-MECHANICAL WORKS	\$0.00
D SANITARY ACCESSORIES	\$0.00
TOTAL WORKS	\$0.00

PS: All dimensions and quantities to be checked on site

		TOTAL			
ITEM	DESCRIPTION	TOTAL ESTIMATED QTY	UNIT	UNIT RATE US \$	AMOUNT US \$
	DIVISION 4. CENERAL DECLUDEMENTS				
	DIVISION 1 - GENERAL REQUIREMENTS				
Α	Insurance	1	Item		0.00
В	Providing Temporary fencing (to be discussed with school administration)	1	Item		0.00
С	Providing & use of water, lighting and power for the works (to be discussed	1	Item		INCLUDED
D	with school administration) Scaffolding	1	Item		INCLUDED
D	Scandiding	'	пеш		INCLUDED
	DIVISION 2 - SITE CONSTRUCTION				
Α	Dismantling fixtures & Demolition of walls, concrete screed and old wash basin	1	LS		0.00
	include transportation out of site				
В	Coring if required for sanitary and others				INCLUDED
	DIVISION 3 - CONCRETE WORKS				
Α	Reinforced slab on grade (5.35 x 2.6m) 22cm thickness (2 layers of 16mm, 5 steel bars per linear meter) concrete 25Mpa	3	МЗ		0.00
В	Wash basin tangent to the toilets wall as per the drawings	1	ITEM		0.00
С	Concrete block walls 15cm and 10cm as per the attached plan including all material and the concrete lintel (30cm hight) above the doors and all over the walls to insure more walls stability	60	M2		0.00
	DIVISION 4 - METALS				
	Surface are acception about he are follows: Dubbing and dusting: Chan arise ad				
	Surface preparation shall be as follows: Rubbing and dusting; Shop primed metal surfaces shall be cleaned from grease and stains. Anti-corrosion				
	priming and alkyd oil paint finishing.				
Α	Steel structure				
	Free-standing steel structure to hold the water reservoir	1	LS		0.00
	this item may be canceled if approved with the school administration				
	to move away				
b	Aluminum window				
	Aluminum folding window 50x50cm Sidem 2000 (8mm tempered sand blasted g	2	Item		0.00
				[

ITEM	DESCRIPTION	TOTAL ESTIMATED QTY	UNIT	UNIT RATE US \$	AMOUNT US \$
	DIVISION 5 - WATERPROOFING				
	Waterproof paint protection				
В	Waterproof paint protection (cementitious) for the washbasin before tiling	1	LS		0.00
	DIVISION 6 - WOODWORK				
	Rates include all materials, ironmongery unless listed separately, hardware and				
	accessories as required, including anchors and the like				
Α	Wood doors	,			0.00
	Wood melamine doors 22mm with all accessories, hinges, doors' locks to insure the perfect doors' functionality (colors to be aproved before)	4	Item		0.00
	to insure the period doors functionality (colors to be aproved before)				
	Wood doors with fraquet frames to the toilets corridors and adjacent class room (leaf of 4.5cm thick, solid wood frame and hollow core with 8 mm mfd panels on both sides, with all accessories, hinges, doors' locks to insure the perfect doors' functionality (colors to be approved before)	3	Item		0.00
	DIVISION 7 - FINISHES				
	Portland cement plaster				
Α	Cement plaster to all extrior walls	25	M2		0.00
Α	Cement plaster to ceiling where old plaster is unstable and is to be removed	1	LS		0.00
	Flooring				
	Glazed ceramic tile 40X40, Moh's Hardness 6 , Abrasion resistance class III				
	Slip Resistance with minimum wet DCOF AcuTest value of > 0.42S				
	Rate to include supply and apply with all products to insure the complete tiling process				
Α	To ground floor (colors to be aproved before)	12	M2		0.00
В	To interior walls (colors to be aproved before)	90	M2		0.00
	ı				ı İ

ITEM	DESCRIPTION	TOTAL ESTIMATED QTY	UNIT	UNIT RATE US \$	AMOUNT US \$
С	To washbasin (10x10) (colors to be aproved before)	1	LS		0.00
	Painting				
	Surface preparation shall be as follows: Rubbing and dusting of cementations Shop primed metal surfaces shall be cleaned from grease and stains Allow sufficient time between successive coats to permit proper drying Paint behind movable equipment same as adjacent exposed surfaces.				
Α	Water based paint on cementations surfaces To exterior Walls: Water based paint (waterproof) with high covering power and wash ability for indoor walls 1 coat sealer primer, 2 coats putty, touch-up, rubbing, cleaning, minimum 2 finishing coats, roller applied. (colored sample to be approved before)	25	M2		0.00
В	Same to adjacent corridor' walls	30	M2		0.00
	Faulce ceiling				
	Supply and apply of PVC faulce ceiling above all the sanitary block	13	M2		0.00

ITEM	DESCRIPTION	TOTAL ESTIMATED QTY	UNIT	UNIT RATE US \$	AMOUNT US \$
	TOTAL AMOUNT OF ARCHITECTURAL WORKS				0.00
	DIVISION 8 - ELECTRO-MECHANICAL				
	Sanitary, WC				
	Supply and install of adult size WC and flash citterns (made in Italy) including all PPR piping, drain and sewage under tile, to be connected through manhole to the existing sewage of the building. With necessary stainless steel covers for all drains and other	4	ltem		0.00
В	Supply and install faucets (made in Italy) with push button to washbasin including all necessary imbedded PPR piping from the filtration system and water tank and drain piping	4	Item		0.00
С	Supply and install stainess steel drain cover inside the washbassin	1	Item		0.00
	Ventilation				
Α	supply and apply extraction fans (made in Italy)	4	Item		0.00
	with necessary plastic tubes ducting and electrical outlet				
	Lighting source at ceiling level including all piping and 2.5 mm wires	2	Item		0.00
	Light switch at 120cm from finish level near entrance door, including all piping and 2.5 mm wires with Legrand mosaic swish finish box with 2 x 26 concealed luminary	2	Item		0.00

ITEM	DESCRIPTION	TOTAL ESTIMATED QTY	UNIT	UNIT RATE US \$	AMOUNT US \$
	TOTAL AMOUNT OF MECHANICAL WORKS				0.00
	DIVISION 10 - SANITARY ACCESSORIES				
А	Covered bins	4	ltem		0.00
В	Soap dispensers	4	Item		0.00

ITEM	DESCRIPTION	TOTAL ESTIMATED QTY	UNIT	UNIT RATE US\$	AMOUNT US \$
	TOTAL AMOUNT OF SANITARY ACCESSORIES				0.00

Al Shareq school (Boys & Girls WCs Ground Floor) BOQ & Specifications

Project:	Al Shareq School Sanitairy Works
Organization:	World Vision Lebanon
Consultant :	Joseph Abdallah
Contractor:	
Date:	

	AMOUNT US\$
A ARCHITECTURAL WORKS	\$0.00
B MECHANICAL WORKS	\$0.00
D SANITARY ACCESSORIES	\$0.00
TOTAL WORKS	\$0.00

PS: All dimensions and quantities to be checked on site

ITEM	DESCRIPTION	TOTAL ESTIMATED QTY	UNIT	UNIT RATE US \$	AMOUNT US \$
		QII			
	DIVISION 1 - GENERAL REQUIREMENTS				
٨	Insurance (use same of kinder land)				
A B	Providing Temporary fencing (to be discussed with school administration)	1	Item		0.00
С	Providing & use of water, lighting and power for the works (to be discussed	1	Item		INCLUDED
	with school administration)				
D	Scaffolding	1	Item		INCLUDED
	DIVISION 2 - SITE CONSTRUCTION				
Α	Dismantling fixtures & Demolition of concrete screed include transportation	1	LS		0.00
	out of site				
В	Coring if required for sanitary and others				INCLUDED
С	Interior plaster removal where needed (old unstable plaster will be refused)	1	LS		0.00
	DIVISION 3 - CONCRETE WORKS				
Α	Reinforced screed over mechanicals to make level under tile preparing for tiling process	1	LS		0.00
В	All the holes in the walls in addition to the exterior wall under window' steel bars, all tengant walls to the toilets, to be concrete filled.	1	LS		0.00
	DIVISION 4 - METALS				
	Surface preparation shall be as follows: Rubbing and dusting; Shop primed metal surfaces shall be cleaned from grease and stains. Anti-corrosion				
	priming and alkyd oil paint finishing.				
	No Item to mention				0.00
		0	LS		0.00

ITEM	DESCRIPTION	TOTAL ESTIMATED QTY	UNIT	UNIT RATE US \$	AMOUNT US \$
	DIVISION 5 - WATERPROOFING				
	Waterproof paint protection, to external elevations				
Α	Waterproof paint protection (cementitious) for the washbasin before tiling	1	LS		0.00
	DIVISION 6 - WOODWORK				
	Rates include all materials, ironmongery unless listed separately, hardware and				
	accessories as required, including anchors and the like				
	Wood doors	5	ltom		0.00
	Wood doors to be tuned, some hinges to be exchanged, doors' locks to be exchanged to insure the perfect doors' functionality	5	Item		0.00
	DIVISION 7 - FINISHES				
	DIVISION 7 - FINISHES				
	Portland cement plaster				
Α	Cement plaster to all walls where old plaster removed	1	LS		0.00
	Flooring				
	Glazed ceramic tile 40X40, Moh's Hardness 6 , Abrasion resistance class III				
	Slip Resistance with minimum wet DCOF AcuTest value of > 0.42S Rate to include supply and apply with all products to insure the complete				
	tiling process				
Α	To ground floor	1	LS		0.00
В	To all interior walls	1	LS		0.00
С	To washbasin (10x10)	1	LS		0.00

ITEM	DESCRIPTION	TOTAL ESTIMATED QTY	UNIT	UNIT RATE US \$	AMOUNT US \$
D	To washbasin steps (Anti-slip, sample to be approved)	1	LS		0.00
	Painting				
	Surface preparation shall be as follows: Rubbing and dusting of cementations Shop primed metal surfaces shall be cleaned from grease and stains Allow sufficient time between successive coats to permit proper drying Paint behind movable equipment same as adjacent exposed surfaces.				
	Water based paint on cementations surfaces				
А	To Ceilings and exterior walls: Water based paint (waterproof) with high covering and wash ability for indoor walls 1 coat sealer primer, 2 coats putty, touch-up, rubbing, cleaning, minimum 2 finishing coats, roller applied. (colored sample to be approved before)	1	LS		0.00
В	To all wood doors: Rubbing, dusting, primer and minimum 2 coats of oil paint to insure perfect paint coverage	5	ITEM		0.00

ITEM	DESCRIPTION	TOTAL ESTIMATED QTY	UNIT	UNIT RATE US \$	AMOUNT US \$
	TOTAL AMOUNT OF ARCHITECTURAL WORKS				0.00
	TOTAL AMOUNT OF ARCHITECTURAL WORKS				0.00
	DIVISION 8 - SANITARY				
	wc				
А	Supply and install of adult size WC and flash citterns (made in Italy) including all PPR piping, drain and sewage under tile, to be connected through manhole to the existing sewage of the building. With necessary stainless steel covers for all drains and other	5	ltem		0.00
В	Supply and install faucets (made in Italy) with push button to washbasin including all necessary imbedded PPR piping from the filtration system and water tank and drain piping	4	ltem		0.00
С	Supply and install stainess steel drain cover inside the washbassin	1	Item		0.00
D	Wash basin 45cm (made in Italy) to be fixed in girls' toilets with required faucet,	1	Item		0.00
	water supply piping from water tank and drain to sewage system				

TEM	DESCRIPTION	TOTAL ESTIMATED QTY	UNIT	UNIT RATE US \$	AMOUNT US \$
	TOTAL AMOUNT OF MECHANICAL WORKS				0.00
	DIVISION 10 - SANITARY ACCESSORIES				
Α	Covered bins	5	ltem		0.00
В	Soap dispensers	4	Item		0.00

ITEM	DESCRIPTION	TOTAL ESTIMATED QTY	UNIT	UNIT RATE US\$	AMOUNT US \$
TOTAL AMOUNT OF SANITARY ACCESSORIES					0.00

Al Shareq school (Kindergarten WCs, Roof top) BOQ & Specifications

Project:	Al Shareq School Sanitairy Works
Organization:	World Vision Lebanon
Consultant :	Joseph Abdallah
Contractor:	
Date:	

	AMO Us
A ARCHITECTURAL WORKS	\$0.
B MECHANICAL WORKS	\$0.
D SANITARY ACCESSORIES	\$0
TOTAL WORKS	\$0
PS: All dimensions and quantities to be checked on site	

ITEM	DESCRIPTION	TOTAL ESTIMATED QTY	UNIT	UNIT RATE US \$	AMOUNT US \$
	DIVISION 1 - GENERAL REQUIREMENTS				
	DIVISION I SEMENAE REGUINENTS				
Α	Insurance	1	Item		0.00
В	Providing Temporary fencing (to be discussed with school administration)	1	Item		0.00
С	Providing & use of water, lighting and power for the works (to be discussed	1	Item		INCLUDED
	with school administration)	_			
D	Scaffolding	1	Item		INCLUDED
	DIVISION 2 - SITE CONSTRUCTION				
Α	Dismantling fixtures & Demolition of concrete screed include transportation	1	LS		0.00
_	out of site				MOLLIDES
	Coring if required for sanitary and others Interior plaster removal where needed (old unstable plaster will be refused)	1	LS		0.00
	Interior plaster removal where needed (old dristable plaster will be refused)	1	LS		0.00
	DIVISION 3 - CONCRETE WORKS				
А	Reinforced screed over mechanicals to make level under tile preparing for tiling process	1	LS		0.00
В	Concrete filling to all the holes in the walls in addition to the exterior wall under window' steel bars, all tengant walls to the toilets	1	LS		0.00
	William Groot Bato, all torigant male to the toricle				
	DIVISION 4 - METALS				
	Surface preparation shall be as follows: Rubbing and dusting; Shop primed				
	metal surfaces shall be cleaned from grease and stains. Anti-corrosion priming and alkyd oil paint finishing.				
Α	Covered pathway				
	Steel structure covered with TOT same as existing,	1	LS		0.00
	L shape plan covering 15m2, covering 160cm adjacent to wcs walls				
	With Anti-corrosion priming and alkyd oil paint finishing				
В	Steel windows bars restoration				
	Rubbing and dusting; Shop primed metal surfaces shall be cleaned from	1	Item		0.00
	grease and stains. Anti-corrosion priming and alkyd oil paint finishing.				
С	Aluminum window				
	Aluminum sliding window Sidem 2000 (8mm tempered glass)	1	Item		0.00

ITEM	DESCRIPTION	TOTAL ESTIMATED QTY	UNIT	UNIT RATE US \$	AMOUNT US \$
	DIVISION 5 - WATERPROOFING				
	Waterward naint watertion				
	Waterproof paint protection				
Α	Waterproof paint protection PU to top of ceiling slab (1 primer and 2 layers coats	1	LS		0.00
	with preparation of the concrete surface where needed				
В	Waterproof paint protection (cementitious) for the washbasin before tiling	1	LS		0.00
	DIVISION C. WOODWODY				
	DIVISION 6 - WOODWORK				
	Rates include all materials, ironmongery unless listed separately, hardware and				
	accessories as required, including anchors and the like				
	•				
Α	Wood doors				
	Wood doors to be tuned, some hinges to be exchanged, doors' locks	4	Item		0.00
	to be exchanged to insure the perfect doors' functionality				
В	Wood decoratives	40			
	10 Wood decorative (buterfly and sheep) figurine drawn on 22mm MDF fixed	12	Item		0.00
	on the ceiling 40cm average dimension (to be approved before)				
	DIVISION 7 - FINISHES				
	Portland cement plaster				
١.		_			
A	Cement plaster to all walls where old plaster removed	1	LS		0.00
В	Plaster or Stucco plaster to all ceiling (sample to be approved before)	1	LS		0.00
	riasion of otdood plaster to all ceiling (sample to be approved before)		LO		0.00
	Flooring				
	Glazed ceramic tile 40X40, Moh's Hardness 6 , Abrasion resistance class III				
	Slip Resistance with minimum wet DCOF AcuTest value of > 0.42S				
	Rate to include supply and apply with all products to insure the complete				
	tiling process				
А	To ground floor	1	LS		0.00
В	Ditto, skirting	1	LS		0.00
С	To washbasin (10x10)	1	LS		0.00
	Outside to the ground instead of missing ones (mosaic) with threshold	1	LS		0.00
	(,	l l	-	1	

ITEM	DESCRIPTION	TOTAL ESTIMATED QTY	UNIT	UNIT RATE US \$	AMOUNT US \$
	to the class room door				
	Painting				
	Surface preparation shall be as follows: Rubbing and dusting of cementations				
	Shop primed metal surfaces shall be cleaned from grease and stains				
	Allow sufficient time between successive coats to permit proper drying Paint behind movable equipment same as adjacent exposed surfaces.				
	raint benind movable equipment same as adjacent exposed sunaces.				
	Water based paint on cementations surfaces				
Α	To Walls: Water based paint (waterproof) with high covering power	1	LS		0.00
	and wash ability for indoor walls				
	1 coat sealer primer, 2 coats putty, touch-up, rubbing, cleaning,				
	minimum 2 finishing coats, roller applied. (colored sample to be approved before)				
	(colored sample to be approved belote)				
В	To ceiling: Stucco paint (waterproof) with high covering power and wash ability	1	LS		0.00
	(colored sample to be approved before)				

TOTAL AMOUNT OF ARCHITECTURAL WORKS DIVISION 8 - SANITARY WC Supply and install of child size WC and flash citterns (made in Italy) including all PPR piping, drain and sewage under tile, to be connected through manhole to the existing sewage of the building. With necessary stainless steel covers for all drains and other Supply and install faucets (made in Italy) with push button to washbasin including all necessary imbedded PPR piping from the filtration system and water tank and drain piping C Supply and install stainess steel drain cover inside the washbassin 1 Item	UNIT RATE US \$	AMOUNT US \$
DIVISION 8 - SANITARY WC Supply and install of child size WC and flash citterns (made in Italy) including all PPR piping, drain and sewage under tile, to be connected through manhole to the existing sewage of the building. With necessary stainless steel covers for all drains and other Supply and install faucets (made in Italy) with push button to washbasin including all necessary imbedded PPR piping from the filtration system and water tank and drain piping		
Supply and install of child size WC and flash citterns (made in Italy) including all PPR piping, drain and sewage under tile, to be connected through manhole to the existing sewage of the building. With necessary stainless steel covers for all drains and other Supply and install faucets (made in Italy) with push button to washbasin including all necessary imbedded PPR piping from the filtration system and water tank and drain piping		0.00
Supply and install of child size WC and flash citterns (made in Italy) including all PPR piping, drain and sewage under tile, to be connected through manhole to the existing sewage of the building. With necessary stainless steel covers for all drains and other Supply and install faucets (made in Italy) with push button to washbasin including all necessary imbedded PPR piping from the filtration system and water tank and drain piping Item		
A all PPR piping, drain and sewage under tile, to be connected through manhole to the existing sewage of the building. With necessary stainless steel covers for all drains and other Supply and install faucets (made in Italy) with push button to washbasin including all necessary imbedded PPR piping from the filtration system and water tank and drain piping		
B including all necessary imbedded PPR piping from the filtration system and water tank and drain piping		0.00
C Supply and install stainess steel drain cover inside the washbassin 1 Item		0.00
		0.00

ITEM	DESCRIPTION	TOTAL ESTIMATED QTY	UNIT	UNIT RATE US \$	AMOUNT US \$
	TOTAL AMOUNT OF MECHANICAL WORKS				0.00
	DIVISION 10 - SANITARY ACCESSORIES				
А	Covered bins	4	Item		0.00
В	Soap dispensers	4	Item		0.00

ITEM	DESCRIPTION	TOTAL ESTIMATED QTY	UNIT	UNIT RATE US\$	AMOUNT US \$
TOTAL AMOUNT OF SANITARY ACCESSORIES					0.00

Al Tarakey school BOQ & Specifications

Project:	Al Tarakey school Sanitairy Works
Organization:	World Vision Lebanon
Consultant:	Joseph Abdallah
Contractor:	
Date:	

	AMOUNT US \$
A ARCHITECTURAL WORKS	\$0.00
B ELECTRO-MECHANICAL WORKS	\$0.00
D SANITARY ACCESSORIES	\$0.00
TOTAL WORKS	\$0.00

PS: All dimensions and quantities to be checked on site

ITEM	DESCRIPTION	TOTAL ESTIMATED QTY	UNIT	UNIT RATE US \$	AMOUNT US \$
	WOODWORK				
	Rates include all materials, ironmongery unless listed separately, hardware and accessories as required, including anchors and the like				
Α	Wood doors				
	Wood doors to be tuned, some hinges to be exchanged, doors' locks	1	LS		0.00
	to be exchanged to insure the perfect doors' functionality				
В	Wood Paravents				
	Supply and install wood paravents (100 x 30 cm) melamine 22mm paravents with 3 mm plastic lips on all edges, to be fixed on the wall with stainless steel hinnes	4	ITEM		0.00
	CLEANING				
	5 locations in 3 floors, full professional cleaning including but not limited to: deep removal of dirt, infectious agents, and impurities, use of adequate detergents. Celling, walls and floors especially the tiles joints, all sanitary fixtures and faucets	1	LS		0.00
	TILE JOINTING				
	Remove all unstable tile joints, waterproof grouting	1	LS		0.00
	TOTAL AMOUNT OF ARCHITECTURAL WORKS				0.00
	DIVISION 10 - SANITARY ACCESSORIES				
Α	Covered bins	15	Item		0.00
В	Soap dispensers	5	Item		0.00

ITEM	DESCRIPTION	TOTAL ESTIMATED QTY	UNIT	UNIT RATE US \$	AMOUNT US \$
	TOTAL AMOUNT OF SANITARY ACCESSORIES				