



OXFAM

REQUEST FOR QUOTATION

Please include the following RFQ number on all attachments.

RFQ NUMBER: RFQ-LBQZQ-24-0043

QUOTATION DUE DATE: 31/10/24 00:00

SEND BIDS TO:

Nicolas Khoury Bldg,
2nd Floor,
Zahle,
Zahle, Lebanon

TELEPHONE: 01/611823

FAX:

E-MAIL:

CONTACT: Sally Abdel Kader

REFERENCE :

SHIP TO:

Nicolas Khoury Bldg,
2nd Floor,
Zahle,
Zahle, Lebanon

TELEPHONE: 01/611823

FAX:

E-MAIL:

CONTACT: Sally Abdel Kader

THIS IS NOT A PURCHASE ORDER. Please provide a quotation for the items listed below. Please specify the validity of the quotation, sign or stamp it, and return to the requester.

Oxfam is committed to and expects its suppliers to comply with ethical standards outlined in Oxfam's Supplier Code of Conduct. We request suppliers to read, agree and sign before accepting any contract - Suppliers may request a copy at any time

PAYMENT TERMS	DELIVERY TERMS	DELIVERY DATE	QUOTATION EXPIRY DATE
Bank Trf - payment within 30 Days of invoice		1/11/2024	

LN	ITEM CODE	ITEM DESCRIPTION	RFQ QTY	ITEM/W BID QTY	UNIT	UNIT PRICE	TOTAL PRICE
		ITEM REMARKS	REMARKS				
1.00	BSP8/1	Pump kit, Submersible, 4"			EA		
		Submersible pump (Removing and re-installing pump) [pump1]					
A 4" diameter pumpset supplied with rising main, wellhead assembly and control panel. Used for pumping from water depth 60-110m.							
2.00	BSP8/1	Pump kit, Submersible, 4"			EA		
		Submersible pump (install submersible water pump) pump1					
A 4" diameter pumpset supplied with rising main, wellhead assembly and control panel. Used for pumping from water depth 60-110m.							
3.00	BSP8/1	Pump kit, Submersible, 4"			EA		
		Submersible pump (install submersible water pump) pump2					
A 4" diameter pumpset supplied with rising main, wellhead assembly and control panel. Used for pumping from water depth 60-110m.							
4.00	BSP8/1	Pump kit, Submersible, 4"			EA		
		Polyethylene pipes (HDPE) for water supply (Excavation in any type of land, minimum depth 60 cm, including fine sand bedding (10 cm each layer), backfilling, pipe connections, warning tapes.)					
A 4" diameter pumpset supplied with rising main, wellhead assembly and control panel. Used for pumping from water depth 60-110m.							
5.00	5136A	Pipe, 63mm OD, HDPE, 6 Bar			M		
		Polyethylene pipes (HDPE) for water supply (Supply and install water (HDPE) for water supply, minimum PN 16 or higher depending on pipe nominal pressure; Outside diameter range from 50 mm to 280 mm)					
6.00	5136A	Pipe, 63mm OD, HDPE, 6 Bar			M		
		The supplier is expected to provide cost of site visit.					
7.00	1652A	Sign board/panel, Metal, 914.4mmx1524mm (3'x5'), "Toujou kenbe kote w pwop"			EA		
		Panel board IP65 (different sizes)					
8.00	9893A	Relay, Thermal overload, 3 phase, 100A			EA		
		Phase relay (provide prices for all Amperage available sizes)					

LN	ITEM CODE	ITEM DESCRIPTION	RFQ QTY	ITEM/W BID QTY	UNIT	UNIT PRICE	TOTAL PRICE
		ITEM REMARKS	REMARKS				
9.00	06189	Timer, Digital			EA		
		Minute timer					
10.00	06189	Timer, Digital			EA		
		Second timer					
11.00	2101A	Slasher, Grass			PCE		
		string trimmer for grass removal (Heavy duty, >50 cc quick start gasoline engine, >40 cm cutting width)					
12.00	0158A	Switch, Changeover, Manual			EA		
		Manual switches (different sizes)					
13.00	3528A	Fuse, Electrical, 25A			EA		
		DC Fuse 25 A 1000 V DC (EU origin)					
14.00	06520	Box, Fuse, With fuse			EA		
		DC Fuse 20 A 1000 V DC (EU origin)					
15.00	7529A	Fuse, Electrical, 13A			PACK		
		DC Fuse 15 A 1000 V DC (EU origin)					
16.00	6638A	Circuit breaker			PCE		
		DC Circuit Breaker 2P 125 A (EU origin) and any other available sizes.					
17.00	6638A	Circuit breaker			PCE		
		AC Circuit Breaker 2P 6 A (EU origin)					
18.00	6638A	Circuit breaker			PCE		
		AC Circuit Breaker 2P 10 A (EU origin)					
19.00	6638A	Circuit breaker			PCE		
		AC Circuit Breaker 2P 20 A (EU origin)					

LN	ITEM CODE	ITEM DESCRIPTION	RFQ QTY	ITEM/W BID QTY	UNIT	UNIT PRICE	TOTAL PRICE
		ITEM REMARKS	REMARKS				
20.00	6638A	Circuit breaker			PCE		
		AC Circuit Breaker 2P 32 A (EU origin)					
21.00	6638A	Circuit breaker			PCE		
		AC Circuit Breaker 4P 10 A (EU origin)					
22.00	6638A	Circuit breaker			PCE		
		AC Circuit Breaker 4P 25 A (EU origin)					
23.00	6099A	Contactors, Electrical, 3 pole			EA		
		Contactors 3 poles (EU origin or equivalent) for different sizes (20A till 100A)					
24.00	02237	Accessories kit, Solar panel			EA		
		Solar Panel (For the un-functional solar system, replace the non-functional solar panel. Supply, install, test and commission of Solar Modules of a Crystalline technology 545 Wp or higher.)					
25.00	8129A	Inverter, Solar pump			EA		
		Solar water pumping inverter (Oxfam is seeking suppliers to supply, test and commission of solar variable frequency drive, specification like Vacon type or equivalent - the VFD warranty shall be at least 2 years. Supplier to provide cost for inverters ranged from 11 Kw to 160 kw (Expected two inverter from each side) Inverter 1					
26.00	8129A	Inverter, Solar pump			EA		
		Solar water pumping inverter (Oxfam is seeking suppliers to supply, test and commission of solar variable frequency drive, specification like Vacon type or equivalent - the VFD warranty shall be at least 2 years. Supplier to provide cost for inverters ranged from 11 Kw to 160 kw (Expected two inverter from each side) Inverter 2					

LN	ITEM CODE	ITEM DESCRIPTION	RFQ QTY	ITEM/W BID QTY	UNIT	UNIT PRICE	TOTAL PRICE
		ITEM REMARKS	REMARKS				
27.00	8129A	Inverter, Solar pump			EA		
		Solar water pumping inverter (Oxfam is seeking suppliers to supply, test and commission of solar variable frequency drive, specification like Vacon type or equivalent - the VFD warranty shall be at least 2 years. Supplier to provide cost for inverters ranged from 11 Kw to 160 kw (Expected two inverter from each side) Inverter 3					
28.00	4824A	Battery, AA, 2300mAH, Lithium iron			EA		
		Supply, install, test, and commission of Lithium battery 10 kWh, 200 Ah 48VDC, 6000 cycle depth of discharge is 95%, the battery system shall be mounted on rack or wall mounted, well ventilated including all required cables and accessories. (lithium battery)					
29.00	8129A	Inverter, Solar pump			EA		
		Supply, install, test and commission of one three-phase Hybrid solar inverter, colorful touch LCD, IP65, efficiency > 97%, Surge protection DC Type II / AC Type II, Battery type Lead-acid or Lithium-ion, Self-adaption to BMS, PV Input Voltage 100V~500V, PV Input Current 13 A, No. of MPPT Trackers 2, 5 years warranty. (Hybrid solar inverter 5 kWh)					
30.00	8129A	Inverter, Solar pump			EA		
		Supply, install, test and commission of one three-phase Hybrid solar inverter, colorful touch LCD, IP65, efficiency > 97%, Surge protection DC Type II / AC Type II, Battery type Lead-acid or Lithium-ion, Self-adaption to BMS, PV Input Voltage 100V~500V, PV Input Current 13 A, No. of MPPT Trackers 2, 5 years warranty. (Hybrid solar inverter 10 kWh)					

LN	ITEM CODE	ITEM DESCRIPTION	RFQ QTY	ITEM/W BID QTY	UNIT	UNIT PRICE	TOTAL PRICE
		ITEM REMARKS	REMARKS				
31.00	0555A	Transformer, Earthing system,			EA		
		Supply, install, test and commission of earthing system. All PV panels frames, Mounting Structure, Cable trays & All PV equipment and metallic structures on roof should be properly earthed. The earthing system shall include the following: (- Copper rods, tap-clamps, earthing pits (earthing cable, earthing rods, clamos, interconnection wires, earthing pits and all system accessories) as would be needed to get a maximum of 5 Ohm. Interconnection to existing earthing system. Earthing of all equipm					
32.00	0555A	Transformer, Earthing system,			EA		
		Supply, install, test and commission of earthing system. All PV panels frames, Mounting Structure, Cable trays & All PV equipment and metallic structures on roof should be properly earthed. The earthing system shall include the following: (Refurbishing the pump control room internal and external walls, by scrapping existing, plastering, white colour painting with one basic layer and 2 finishing layers. The area around 60m2)					
33.00	0555A	Transformer, Earthing system,			EA		
		Supply, install, test and commission of earthing system. All PV panels frames, Mounting Structure, Cable trays & All PV equipment and metallic structures on roof should be properly earthed. The earthing system shall include the following: (Refurbishing of the exiting doors and openings. Painting in epoxy blue colour after applying the needed maintenance. Dimensions of the door is 2m * 2m.)					

CURRENCY

SUB TOTAL:

DELIVERY REMARKS

DISCOUNT:

VAT:

TAX(OTHERS):

TOTAL:

SHIPPING REMARKS

GENERAL REMARKS

SPECIAL INSTRUCTION: Please note any and all exclusions, exceptions and deviations from our specifications.

- Please outline and describe any additional economies not specified in this RFQ that would result in an improvement in the resulting bid.
- Our standard terms and conditions will apply to any orders placed in conjunction with this RFQ - Vendor may request a copy.
- All conditions affecting PRICE, delivery or terms of payment must be quoted in this bid.
- If you do not intend to quote, please return this bid marked as 'WILL NOT BID'.

This RFQ is not an offer to purchase but rather represents an invitation to recipients to submit a response to our questions. Issuance of this RFQ, your preparation and submission of a response, and the subsequent receipt and evaluation of your response does not commit us to purchase products from any of the respondents. Responses must be received by the date and time indicated above. Late responses will not be accepted.

CREATED BY (SIGN ABOVE)

SUPPLIER (SIGN ABOVE)

Print Name Above

Print Name Above

Oxfam is committed to maintain the highest ethical standards in its supply chain. If Suppliers notice any actions by Oxfam staff members, volunteers or representatives that fail to meet these standards, please contact the independent and confidential hotline detailed in the Supplier Code of Conduct.

Oxfam works with others to find lasting solutions to poverty and suffering.

A company limited by guarantee and registered in England No. 612172. Registered office Oxfam House, John Smith Drive, Cowley, Oxford OX4 2JY. Registered charity No. 202918 (England) Registered charity No. SC039042 (Scotland)

PLEASE SELECT ONE: LOGISTICS FINANCE SUPPLIER