

## REQUEST FOR QUOTATION

### BASATINE - Heavy Machineries

RFQ 001

**Under**

BASATINE Program

**Funded By**

[AFD - Agence Française de Développement]

<b>RFQ Release Date:</b>	<b>19 February 2024</b>
<b>Delivery Deadline:</b>	<b>30 March 2024</b>
<b>Quotation Submission Deadline:</b>	<b>10 March 2024</b>
<b>Question/ Inquiry Submission Deadline:</b>	<b>29 February 2024</b>



## TABLE OF CONTENTS

I.	Introduction .....	3
	A. Company Background .....	3
	B. Program Background .....	3
II.	Purpose .....	3
	A. Specifications .....	3
III.	TERMS OF PAYMENT .....	5
IV.	PROPOSAL PREPARATION AND SUBMISSION REQUIREMENTS .....	6
	A. Instructions for Proposal Preparation .....	6
	1. Quotation .....	6
	B. Instructions for Submission of Quotation .....	6
V.	CRITERIA FOR EVALUATION .....	7
VI.	TERMS AND CONDITIONS .....	7
	A. Late Submissions .....	7
	B. Modification of RFQ Requirements .....	7
	C. Withdrawals of Quotations .....	7
	D. Right of Negotiation and Acceptance of quotation .....	7
	E. Validity of quotation .....	8



## I. INTRODUCTION

### A. COMPANY BACKGROUND

Berytech is an ecosystem for entrepreneurs, providing a dynamic environment for the creation and development of startups and SMEs, fostering innovation, technology and entrepreneurship in Lebanon. Berytech's role is multifold in building an all-inclusive ecosystem for its own entrepreneurs while contributing to the growth of the Lebanese entrepreneurial ecosystem in general. It has helped shape the cultural norms of the society in accepting and supporting the concept of entrepreneurship, while its different activities continue to push new avant-garde concepts. Berytech serves as a nucleus in connecting different stakeholders in the ecosystem and it strives to influence policymakers and legislating bodies to issue Since its establishment in 2002 by the Saint Joseph University (USJ), Berytech has succeeded in:

Creating strategic connections and international partnerships and affiliations,  
Connecting different pools of experts in the ecosystem: business angels, mentors, cluster managers, technology transfer managers, innovators and researchers,  
Collaborating with the Ministry of Economy and Trade to set and implement a national strategy to support SMEs, and  
Partnering in creating organizations, programs and accelerators to serve the Lebanese entrepreneurial ecosystem.aws that benefit the ecosystem.

### B. PROGRAM BACKGROUND

With the support of l'Agence française de développement (AFD), the Bolstering Agriculture Systems' Ability to Invest, Nourish and Employ (BASATINE) is a four-year Consortium programme contributing to the recovery of affected small farms and maintaining employment opportunities of vulnerable populations by providing support to farm holders.

BASATINE will support vulnerable farmers and related value chain actors in cereals, legumes, and vegetables in Bekaa and Akkar regions. The Consortium is made up of six NGOs with vast experience in agriculture and market systems development.

They include CARE (as lead), Mercy Corps(MC), Berytech Foundation, Georges N. Frem Foundation (GNFF), Lebanese Organization for Studies and Training (LOST), and Al Majmoua.

We aim to boost the capacity of Lebanese agriculture to produce food for the local market, create and maintain jobs, generate social cohesion between host communities and refugees and promote gender equality.

## II. PURPOSE

Procure heavy machineries for the startups supported by BASATINE program.

### A. SPECIFICATIONS

The details stated below provide the name of the SME, location or delivery destination, technical specifications and number of units requested.

#### **1- Mortben – Bakaata - Ain wa Zein Main Road**

- a- 1 Filling machine for sauces for pesto and dips 100 grams to 1 kg - stainless steel fully - with PLC system and digital screen to control weight.
- b- 1 Mixer for Sauces 6L 34x28x58 cm stainless steel.
- c- 1 Dough Mixer 15 kg.



## **2- Dried Delights - Kaa- main road**

- a- 1 Manual Slicer Fruit/Vegetable, Product Dimension (W\*D\*H) 302\*437\*391 mm, Net Weight / Gross Weight 4.6kgs/5.7kgs, Food Container Size 214\*121\*145 mm, Handle Length 85 mm, Thickness Adjustable 0-15 mm, Product Material Stainless steel
- b- 1 50 Liter Tomato Cooking - Automatic steering and mixing
- c- 1 Grinder 5.5 Hp stainless steel V380-Hammers and 4 sieves (grinding spices and dried vegetables)

## **3- Ahmad Ali Chehade for commerce - Bednayeil – Main Road – Next to Medco Station**

- a- 1 Chaudiere 1000 liter with burner

## **4- Ghbayra Group-Ftough Mills - Jdeidet ghazir - main road - ghbayra building -1 st floor**

- a- 1 Milling machine 10 Hp with dust filters and room for product storage operated by centrifugal system stainless steel double jacket to cool products + water circulation system + Tank + Pump 0.5 Hp
- b- 1 Zaatar & Sumac grinder-stainless steel-monophase 5.5 Hp (Grinding and peeling)

## **5- BALadi for Agriculture and commerce- Ammatour- Chouf**

- a- 1 Keshk Grinder Machine 3 hp 220 volt
- b- 1 Tomato Juicer with capacity 100 kg/hour 2hp - stainless steel - 220v
- c- 1 Industrial Mixer on electricity with gas burner (with motor 1.5 hp / stainless steel base 3mm / stainless steel body 2mm with handle for filling/ 100 liter capacity)

## **6- A GRAND - Daher El Mazraa street, Lea Nehme center**

- a- 1 Sumac Peeler and Thyme Grinder , S/S 304 Voltage : 230 v / 1 ph / 50 Hz
- b- 1 Kishek Grinder, Productivity : 50 kg / Hour, Industrial Motor : 3 HP / 1400 RPM +B47Voltage : 230 v / 1 ph / 50 Hz , Power : 2.2 kw, Dim : w 43 x d 44 x h 130 cm

## **7- NAK.HAT SAL - Beirut- karantina- sea side road**

- a- 1 Sumac peeler and thyme grinder without options + Magnetic Motor Starter box with thermal overload: 10HP, 3, Phases, 380-660V, 50-60Hz, ON/OFF Button

## **8- Al Jabal Al Akhdar for commerce – Baakline – Chouf – River Road**

- a- 1 cereals juicer to extract oils with inverter to control temperature - 220v - stainless steel - 750 watt
- b- 1 Tomato Juicer with capacity 50 kg/hour 075hp - stainless steel - 220v
- c- 2 vegetable juicer-presser 36L
- d- 1 vegetable cutter industrial - electric - 220v - stainless steel - 47x28x39
- e- 1 roaster cereals stainless steel with sieve 220v with control of cycle - 20kg capacity - power 7.4 kw
- f- 1 Hommos and garlic machine 6 L with 2 blades 220V - 6amp
- g- 1 vegetable automatic washing machine 1.5m x 50cm - with pump - 200v satinless - 3amp

## **9- Cedar Scent – Niha – Batroun- AL HAY AL CHAABI**

- a- 1 Mixer for Zaatar&Sumac-capacity 200 Kg-stainless steel 316 4 KW, 220 V, Heater Inverter with spiral from right and left sides, Lenght 100 cm, width 80 cm, depth 80 cm, height 100 cm, Motor 4 Hp + Speed box 45 rotation 10 cm Italian hard plastic
- b- 1 Sieve 2 nets 60x100 cm
- c- 1 Zaatar & Sumac Automatic grinder and peeler Rhus: capacity 100-200 kg, weight 210 kg ,Height 190 cm with hopper, internal diameter 60 cm, external diameter 66 cm depth 50 cm, depth with conic 65 cm, Motor 10 HP 1400 rotation, Base 100x80 cm. Peeler: Electrical motor 10 Hp, Outer body Steel anti corrosion 304, Inner body Steel anti corrosion 316, Capacity 150-200 kg/Hr Grinder: Full steel anti corrosion Tri phase 380 V, 50 Hz, Perforated iron sheet diameter 2 mm for sumac and zaatar, Upper stand to fix grinder, thickness 8 mm and body 2.5 mm, Hopper SS thickness minimum 1.5 mm, Hopper cover thickness minimum 1 mm, Sink CAPACITY 50 liters, Square stand with 4 legs 50x50 mm, thickness minimum 2 mm



#### **10- G.T.H. TRADING - Tadamon St. Taalabaya – Zahle**

- a- 1 iron cap sealing machine for cans 450 gram (automatic electric 220V - 180 cans/hours –
- b- 1 Spices grinder stainless steel 220 V 5hp motor - capacity 20kg

#### **11- KIMI establishment - Kanater street, Hakim's Bldg., GF, Mazraat Yachouh, Maten, Lebanon**

- a- 1 Grinder for spices, stainless steel monolex, capacity 20 kg, motor 10 Hp v38
- b- 1 Sieve for zaatar and sumac and spices, stainless steel Motor 2 Hp v220, with stainless steel net

#### **12- From Rima with Love – Bchemoun- Ahmad Eid Center – Main Road**

- a- 1 MAMA MOUNEH MACHINE

#### **13- Meals on wheels – Chtoura – Qob Elias**

- a- 1 Dough Sheeter with belt 30cm monophase 220v

#### **14- Exim – Halba**

- a- 1 Sieve for wheat and chickpeas with 3 exit gates (customized): Diameter 62 cm, Length 2m, filling sensors for the first gate (high quality), second gate for thin wheat and third gate for dirt, additional feeding line بشاروق, Motor: 1.5 Horsepower & speed control

#### **15- Al Rayhana est/مونة وخضار الضيعة – Al Nasiriysa – Bekaa**

- a- 1 Kecek grinder motor 5 hp - diameter 18cm
- b- 1 Kecek sieve fine & coarse- length 1 meter and width 60 cm - stainless steel - around 400 kilos/1 hour
- c- 1 Sieve lentil/chickpeas/beans- 3 layers with fan - dimensions 75 cm x 1 meter - 350kilo/1 hour
- d- 1 Mama Mouneh ( motor 2hp - stainless steel with 2 extra blade for cutting )

#### **16- Sanabel Loubnan – Donyeh – KfarHabou – Main Road**

- a- 1 Potato sorting & Washing Line: sorting 1 Hp- length 2.5m, width 1 m, pond with shaker to clean potatoes 2 Hp-length 2m, width 1m, washer 1 Hp with 25 brushes-length 3m, width 1m + water motor 3/5 Hp, belt 10m + Sink width 120 cm + 10 tables for packing.

#### **17- Phoenix food – Zahle – Deir Mar Chaaya building**

- a- 1 Stainless steel tank double jacket with mixer 1000 liter
- b- 1 Grain grinder 50 kg - 3hp - monophase with inverter
- c- 1 tank 300 liter with burner for boiling water
- d- 1 Grain roaster - 50 kg CAPACITY - 3HP motor, 220 V, monophase
- e- 1 Shaking sieve for herbs and spices - 3 hp - monophase with inverter - medium sized
- f- 1 stainless steel tank with mixer up to 1000L capacity

#### **18- NIMAN s.a.l. (MEZZMIX) – Roumieh - Roumieh, prison road, Bitar building**

- a- 1 Paste homogenizer single flow with 1 to 2 tons/hour capacity - stainless steel - 220V

### **III. TERMS OF PAYMENT**

Payment shall be made via fresh cheque or wire transfer.



## IV. PROPOSAL PREPARATION AND SUBMISSION REQUIREMENTS

### A. INSTRUCTIONS FOR PROPOSAL PREPARATION

The selection committee will evaluate the Offerors based upon their written technical and cost proposals. Each section will be evaluated according to the criteria for evaluations in Section V. Offerors are expected to examine the specifications and all instructions in the RFQ. Failure to do so is at the Offeror's risk. Newly sourced Offerors must provide the following:

- a. Organization Overview
- b. Legal Corporate Documents (Registration, MOF and VAT certificates) including the ID of the representative
- c. Detailed Quotation with technical specifications including warranty, delivery and installation.
- d. Signature of the following statements required by our Donors.
  - a. Integrity statement
  - b. Anti Fraud & Corruption Policy
  - c. PSEA Policy.

---

#### 1. QUOTATION

The proposed quotation will have sufficient detail to allow evaluation of elements of costs proposed. quotations should be submitted in the currency in which your organization is located and will be paid; please label your quotation with the name of the currency. The organization reserves the right to request any additional information to support detailed cost and price.

### B. INSTRUCTIONS FOR SUBMISSION OF QUOTATION

1. The quotation shall be sent via email. Each volume shall be clearly identified with the quotation number and the Offeror's name.
2. All responses to this RFQ must be received no later than the submission deadline on the cover page of this RFQ.
3. All inquiries and requests for information regarding this RFQ must be submitted by email to the following individuals no later than the question/inquiry submission deadline on the cover page of this RFQ. Reference the RFQ number in all questions/inquiries.

<b>(ORGANIZATION NAME)</b>	
<b>(Insert address here)</b>	
<b>Attention:</b>	Michelle Boustany
<b>Email:</b>	procurement@berytech.org

4. Berytech will not compensate Offerors for their preparation of responses to this RFQ.



## V. CRITERIA FOR EVALUATION

Berytech will evaluate quotations based on a best-value determination; Offerors should submit their most competitive price quotation. Quotations will be evaluated using the following criteria:

- Availability of Official and legal papers of the entity – 10 Points
- *Cost of product - 30 Points\**
- *Availability – 10 Points*
- *Delivery service fees – 10 Points*
- *Delivery time – 10 Points*
- *Adherence to specifications – 20 Points*
- *Payment terms – 10 Points*

The evaluation committee will review the quotation based upon the criteria listed above. The cost proposals will be reviewed to ensure they are complete and free of computational errors. The committee will also assess the reasonableness of costs and the cost-effectiveness of the budget and will determine whether the costs reflect a clear understanding of the requirements. A contract/Purchase Order will be offered to the responsible Offeror whose proposal follows the RFQ instructions and is judged to be the most advantageous to Berytech.

- The weighted average for the financial criteria will be calculated based on the following formula:
  - $\text{Lowest value/current value} \times \text{financial score weight}$

## VI. TERMS AND CONDITIONS

### A. LATE SUBMISSIONS

Quotations received after the submission deadline stated in the cover page of this RFQ may not be considered. Offerors will be held responsible for ensuring their quotations are received according to the instructions stated herein. A late offer will be considered if the cause was attributable to Berytech or its employees/agents, or if it is in the best interest of Berytech.

### B. MODIFICATION OF RFQ REQUIREMENTS

Berytech retains the right to terminate the RFQ or modify the requirements upon notification to Offerors.

### C. WITHDRAWALS OF QUOTATIONS

Quotations may be withdrawn by written notice via email at any time before award. Quotations may be withdrawn in person by an Offeror or authorized representative, if the representative's identity is made known and the representative signs a receipt for the quotation before award.

### D. RIGHT OF NEGOTIATION AND ACCEPTANCE OF QUOTATION

This RFQ represents a definition of requirements and is an invitation for submission of quotations. Berytech reserves the right to fund/award any or none of the submitted quotations. No commitment is made, either expressed or implied, to compensate Offerors for costs incurred in the preparation and submission of their quotation.

Berytech may reject any quotation that is nonresponsive. A responsive quotation is one that complies with all terms and conditions of the RFQ. A quotation must be complete, signed by an authorized signatory, and delivered no later than the submission time and date indicated on the cover sheet of this RFQ. Berytech may reserve the



right to waive any minor discrepancies in a quotation.

Berytech reserves the right to issue an award based on the initial evaluation of quotations without discussion. Berytech also reserves the right to enter into best and final negotiations with any responsive Offerors for all or part of the proposed scope.

## E. VALIDITY OF QUOTATION

Quotations submitted shall remain open for acceptance for *60 days* from the last date specified for receipt of quotations. This includes, but is not limited to, pricing, terms and conditions, service levels, and all other information. If your organization is awarded the contract, all information in the RFQ and negotiation process is contractually binding.

