One Year Agreement TOR for Mobility assistive devices, prosthesis and orthosis.

	REF: BAD 71-2024							
	Condition	Description	Size	Availability of the Quantity in stock	Price			
1	Partial Foot Amputation	Lower limb Prosthetics/ Partial Foot Prosthesis/ Molded Socket/ Toe Filler						
2	Chopart Amputation	Lower limb prosthetics/ Partial Foot Prosthesis/Tarsal/Pirogoff or Chopart/ Molded plastic socket/ Foot Compensation						
3	Syme Amputation	Lower limb prosthetics/Ankle/Symes/PTB brim design socket and soft insert /Sach foot or Single axis foot						
4	Transtibial Amputation	Lower limb Prosthetics/Below Knee/ Molded PTB or Supracondylar suspension molded Plastic Socket/ Socket insert/ Cuff Suspension/ Endoskeletal System/ Sach foot/soft Cover and finishing						
	,,,,,,	Lower limb Prosthetics/Below Knee/ Molded PTB or Supracondylar suspension molded Plastic Socket/ Socket insert/ Cuff Suspension/ Endoskeletal System/Single Axis foot/soft Cover and finishing Lower limb prosthetics/Knee Disarticulation/Molded Plastic socket/Polycentric knee joints/Endoskeletal system/Sach foot or Single						
5	Knee Disarticulation	axis foot/ Soft cover and finishing						
	Transfemoral Amputation	Lower limb prosthetics/Above knee/Molded Socket/Single axis (constant friction, manual lock, or safety knee/ Endoskeletal system/Sach foot/Soft Cover and Finishing Lower limb prosthetics/Above knee/Molded Socket/Single axis (constant friction, manual lock, or safety knee/ Endoskeletal systems (Single Axis (constant friction, manual lock, or safety knee/ Endoskeletal systems (Single Axis (constant friction, and Enishing)						
7	Hip Disarticulation	system/Single Axis foot/Soft Cover and Finishing Lower limb prosthetics/Hip disarticulation/molded socket/hip joint/endoskeletal system/Single axis constant friction knee/Sach						
		foot/Soft Cover and finishing						
8	Legg Perthes Disease	Lower limb orthotics/Legg Perthes Orthosis/ trilateral Socket orthosis/ including the shoe/custom fabricated						
		Partial hand prosthesis		<u> </u>				
	Upper Limb Amputation	Transradial prosthesis						
		Transhumeral prosthesis Shoulder disarticulation prosthesis						
		Lower limb orthotics/ ankle foot Orthosis/ Plastic solid ankle AFO/High temperature thermoformable material molded to patient model /Adult						
		Lower limb orthotics/ ankle foot Orthosis/ Plastic solid ankle AFO or SMO /High temperature thermoformable material molded to						
		patient model / Child Lower limb orthotics/ ankle foot Orthosis/ Plastic solid ankle AFO/ Rigid anterior tibial section/ High temparature thermoformable material molded to patient model/ Adult - GRAFO						
	Club foot Cerebral Palsy,	Lower limb orthotics/ ankle foot Orthosis/ Plastic solid ankle AFO/ Rigid anterior tibial section/ High temparature thermoformable						
10	Developmental Disease Peripheral Nerve Injury Lower Limb Discrepancy Lower Limb Deformity Poliomyelitis, Spinal Cord Injury Spina Bifida Diabetic foot Ulcer Others	material molded to patient model/ Child - GRAFO Lower limb orthotics/Ankle foot Orthosis/Articulated plastic AFO/ Flexible or metal ankle joints/ high temperature thermoformable						
10		material molded to patient model						
		Lower limb orthotics/Orthopedic foot wear/Custom fitted shoe/ with internal and external shoe modification/ Infant or Adult						
		Lower limb orthotics/Orthopedic foot wear/Diabetic shoe/custom fitted / modification						
		Lower limb orthotics/Knee-Ankle-Foot Orthosis/ Solid Ankle/ Solid Knee/Plastic KAFO/ Molded to patient model						
		Lower limb orthotics/ foot/ shoe insert / removable/double density flexible foam/each/ custom fabricated						
		Lower limb Orthotics/ Dennis Brawn Orthosis Lower limb orthotics/ hip orthosis / Abduction control of hip joints/ Harness / Fabric / custom fitted						
11	scoliosis	Corset for spinal deformities						
12	ACTIVE / MOTIVATION WHEELCHAIR	ACTIVE / MOTIVATION WHEELCHAIR with characteristics: Light, small and Removable armrests. Backrest below shoulder level, small handles (back), low center of gravity. One-piece, height adjustable footrests	35CM					
13	ACTIVE / MOTIVATION WHEELCHAIR	ACTIVE / MOTIVATION WHEELCHAIR with characteristics: Light, small and Removable armrests. Backrest below shoulder level, small handles (back), low center of gravity. One-piece, height adjustable footrests	40cm					
14	ACTIVE / MOTIVATION WHEELCHAIR	ACTIVE / MOTIVATION WHEELCHAIR with characteristics: Light, small and Removable armrests. Backrest below shoulder level, small handles (back), low center of gravity. One-piece, height adjustable footrests	45CM					
15	ACTIVE / MOTIVATION WHEELCHAIR	ACTIVE / MOTIVATION WHEELCHAIR with characteristics : Light, small and Removable armrests. Backrest below shoulder level, small handles (back), low center of gravity. One-piece, height adjustable footrests	50CM					
16	Axillary crutches	Adult Adult XI. from 150-170cm Height to be calculated from foot to underarm support Height adjustable with butterfly screws. Hand grip height adjustable Dense foam for hand grip and underarm support. If possible with ergonomic hand grip. In aluminum. If possible, rubber tips with metal inlay for longer resistance	X-large					
17	Axillary crutches	Adult medium from 110-130cm Height to be calculated from foot to underarm support Height adjustable with butterfly screws. Hand grip height adjustable Dense foam for hand grip and underarm support. If possible with ergonomic hand grip. In aluminum. If possible, rubber tips with metal inlay for longer resistance	Medium					

18	Axillary crutches	Adult large from 130-150cm Height to be calculated from foot to underarm support Height adjustable with butterfly screws. Hand grip height adjustable Dense foam for hand grip and underarm support. If possible with ergonomic hand grip. In aluminum. If possible, rubber tips with metal inlay for longer resistance	Large	
19	Axillary crutches	Small From 90cm-110cm Adult large from 130-150cm Height to be calculated from foot to underarm support Height adjustable with butterfly screws. Hand grip height adjustable Dense foam for hand grip and underarm support. If possible with regnomnic hand grip. In aluminum. If possible, rubber tips with metal inlay for longer resistance	SMALL	
20	Baby Walker Yoopala			
21	Baby Walker Yoopala	СР		
22	Backward walker	Adjustable With two ergonomic handles 4 wheels	Child	
23	Backward walker	Adjustable With two ergonomic handles 4 wheels	Adult	
24	Cane	Cane with 4 feet.		$oxed{igsquare}$
25	Quadripode cane	Adjustable in height with ergonomic handles. In aluminum (ensure light weight). Adult size: 70 to 90 cm. Child size: 50 to 70 cm. If possible, rubber tips with metal inlay for greater resistance		
26	Cane simple (Walking stick)	Size: 80 to 105 cm. Light (Aluminum). Height adjustable with ergonomic handle. If possible, rubber tips with metal inlay for greater resistance		
27	Cane Tripode	Cane with 3 legs. Height-adjustable with ergonomic handles. In aluminum (to ensure light weight). Adult size: 70 to 90 cm. Child size: 50 to 70 cm. If possible, rubber tips with metal inlay for greater resistance.		
28	Cane White	Must be white as it is a means of identification. Wrist strap attached to the handle. Straight or curved handle. Possibly foldable. Size: 80 to 160 cm. Rotating rubber or nylon tip.		
29	Commode Wheelchair	WC with Toilet bucket Foot rest adjustable Removable arm rest	40 Cm	
30	Commode Wheelchair	WC with Toilet bucket Foot rest adjustable Removable arm rest	45 Cm	
31	Commode Wheelchair	WC with Toilet bucket Foot rest adjustable Removable arm rest	50 Cm	
32	Commode Wheelchair	WC with Toilet bucket Foot rest adjustable Removable arm rest	55 Cm	
33	Commode Wheelchair	WC with Toilet bucket Foot rest adjustable Removable arm rest	60 Cm	
34	CP Wheelchair	With head rest With dome on the seat Foot rest adjustable With removable table in front(preferable)	Child	
35	Elbow crutches	Possibility of adjustable forearm (especially for children) Adjustable height	Adult]
36	Elbow crutches	Possibility of adjustable forearm (especially for children) Adjustable height	child	
37	Elbow crutches	Articulated	Adult	
38 ^H	Hospital Wheelchair with toolkits	With high back Adjustable foot rest	35cm	
39 H	Hospital Wheelchair with toolkits	With high back Adjustable foot rest	40cm	

40	Hospital Wheelchair with	With high back	45	
40	toolkits	Adjustable foot rest	45cm	
41	Hospital Wheelchair with toolkits	With high back Adjustable foot rest	50cm	
42	Hospital Wheelchair with toolkits	With high back Adjustable foot rest	55cm	
43	Regular Wheelchair with toolkits	Foldable Removable arm rest Foot rest adjustable	35cm	
44	Regular Wheelchair with toolkits	Foldable Removable arm rest Foot rest adjustable	40cm	
45	Regular Wheelchair with toolkits	Foldable Removable arm rest Foot rest adjustable	45cm	
46	Regular Wheelchair with toolkits	Foldable Removable arm rest Foot rest adjustable	50cm	
47	Regular Wheelchair with toolkits	Foldable Removable arm rest Foot rest adjustable	55cm	
48	Regular Wheelchair with toolkits	Foldable Removable arm rest Foot rest adjustable	60cm	
49	Regular Aluminium Wheelchair 35cm		35cm	
50	Regular Aluminium Wheelchair 40cm			
51	Regular Aluminium Wheelchair 45cm			
52	Stroller for CP Child 3/4/Year			
53	Walking Frame	Without wheels With 4 point base Height adjustable Two ergonomic handles Foldable With rubber tips with metal inlay for greater resistance.	Adult	
54	Walking Frame	Without Wheels	Child	
55	Walking Frame	4 WHEELS, with breaks	Adult	
56	Walking Frame	With Wheels With 4-point base. Height adjustable Two ergonomic handles. Two small front caster wheels. on the 2 frontal supports of the frame	Child	
57	Walking Frame	With Wheels With 4-point base. Height adjustable Two ergonomic handles. Two small front caster wheels. Foldable. Two small front caster wheels of the frame.	Adult	
58	AFO	Right Prefabricated plastic caliper / holder in polypropylene that fits around the back of the Ankle joint and hold it in a 90° position (open orthosis). 2 Velcro straps: 1 around the shin and 1 across the front of the ankle.	Large	
59	AFO	LEFT Prefabricated plastic caliper / holder in polypropylene that fits around the back of the Ankle joint and hold it in a 90° position (open orthosis). 2 Velcro straps: 1 around the shin and 1 across the front of the ankle.	Small	
60	AFO	RIGHT Prefabricated plastic caliper / holder in polypropylene that fits around the back of the Ankle joint and hold it in a 90° position (open orthosis). 2 Velcro straps: 1 around the shin and 1 across the front of the ankle.	Small	
61	AFO	Right Prefabricated plastic caliper / holder in polypropylene that fits around the back of the Ankle joint and hold it in a 90° position (open orthosis). 2 Velcro straps: 1 around the shin and 1 across the front of the ankle.	Medium	
62	AFO	Left Prefabricated plastic caliper / holder in polypropylene that fits around the back of the Ankle joint and hold it in a 90° position (open orthosis). 2 Velcro straps: 1 around the shin and 1 across the front of the ankle.	Large	
63	AFO	Left Prefabricated plastic caliper / holder in polypropylene that fits around the back of the Ankle joint and hold it in a 90° position (open orthosis). 2 Velcro straps: 1 around the shin and 1 across the front of the ankle.	Medium	

64	AFO	Right Prefabricated plastic callper / holder in polypropylene that fits around the back of the Ankle joint and hold it in a 90" position (open orthosis). 2 Velcro straps: 1 around the shin and 1 across the front of the ankle.	Xlarge	
65	AFO	Left Prefabricated plastic caliper / holder in polypropylene that fits around the back of the Ankle joint and hold it in a 90° position (open orthosis). 2 Velcro straps: 1 around the shin and 1 across the front of the ankle.	Xlarge	
66	Arm sling	Prefabricated arm sling in light, washable fabric (canvas). Reversible to fit right or left arm. Sling needs to support a forearm in a plaster cast, if necessary. A strap attached to the arm piece is worn around the neck to support the forearm. Velcro fasteners. If possible, choose an adjustable strap. To size, measure chest size and cuff length.	Small	
67	Arm sling	Prefabricated arm sling in light, washable fabric (canvas). Reversible to fit right or left arm. Sling needs to support a forearm in a plaster cast, if necessary. A strap attached to the arm piece is worn around the neck to support the forearm. Velcro fasteners. If possible, choose an adjustable strap. To size, measure chest size and cuff length.	Medium	
68	Arm sling	Prefabricated arm sling in light, washable fabric (canvas). Reversible to fit right or left arm. Sling needs to support a forearm in a plaster cast, if necessary. A strap attached to the arm piece is worn around the neck to support the forearm. Velcro fasteners. If possible, choose an adjustable strap. To size, measure chest size and cuff length.	Large	
69	Arm sling	Prefabricated arm sling in light, washable fabric (canvas). Reversible to fit right or left arm. Sling needs to support a forearm in a plaster cast, if necessary. A strap attached to the arm piece is worn around the neck to support the forearm. Velcro fasteners. If possible, choose an adjustable strap. To size, measure chest size and cuff length.	X-large	
70	Cervical collar	Soft Neck collar for neck pain/ Soft / different sizes	Small	
71	Cervical collar	Soft Neck collar for neck pain/ Soft / different sizes	Medium	
72	Cervical collar	Soft Neck collar for neck pain/ Soft / different sizes	Large	
73	Cervical collar	Soft Neck collar for neck pain/ Soft / different sizes	X-large	
74	Cervical collar	Hard, with chin support	Small	
75	Cervical collar	Hard, with chin support	Medium	
76	Cervical collar	Hard, with chin support	Large	
77	Cervical collar	Hard, with chin support	X-large	
78	Hip Abduction Splint / Brace	For infants from 0-18months	Medium	
79	Hip Adduction Splint / Brace	Adjustable For infants from 0-6months	small	
80	Hip Adduction Splint / Brace	Adjustable For infants from 7-12months	Medium	
81	Hip Adduction Splint / Brace	Adjustable For infants from 13-18months	Large	
82	Hyperextension Brace	Different sizes, Adjustable	Large	
83	Knee brace Dynamic	Different sizes, With articulation		
84	Knee brace Dynamic	With Articulation	Small	
85	Knee brace Dynamic	With Articulation	Medium	
86	Knee brace Dynamic	With Articulation	Large	
87	Knee brace Dynamic	With Articulation	X-large	
88	Knee Immobilizer	Different sizes, Static /Zimmer	Small	
89	Knee Immobilizer	Different sizes, Static /Zimmer	Medium	

_				
90	Knee Immobilizer	Different sizes, Static /Zimmer	Large	
91	Knee Immobilizer	Different sizes, Static /Zimmer	X- large	
92	Knee splint with open patella	Different sizes, Elastic	Small	
93	Knee splint with open patella	Different sizes, Elastic	Medium	
94	Knee splint with open patella	Different sizes, Elastic	Large	
95	Knee splint with open patella	Different sizes, Elastic	X- large	
96	Knee splint with open patella	Different sizes, Elastic	XX-large	
07	Lunch and all	With	Consti	
97	Lumbar belt	With support	Small	
98	Lumbar belt	With support	Medium	
99	Lumbar belt	With support	Large	
100	Lumbar belt	With support	X-large	
101	Lumbar belt	With support	XX-large	
		Right		
102	Regular hand splint	Regular orthosis to support hand and wrist	Small	
		Right		
103	Regular hand splint	Regular orthosis to support hand and wrist	Medium	
104	Regular hand splint	Right Regular orthosis to support hand and wrist	Large	
105	Regular hand splint	Left Regular orthosis to support hand and wrist	Small	
106	Regular hand splint	Left Regular orthosis to support hand and wrist	Medium	
107	Regular hand splint	Left Regular orthosis to support hand and wrist	Large	
108	Regular wrist splint	Right Wrist orthosis that fits wrist and thumb. With aluminum anterior plate to maintain 45° extension of wrist. Velcro straps on posterior. Soft, resistant and washable material.	Small	
109	Regular wrist splint	Right Wrist orthosis that fits wrist and thumb. With aluminum anterior plate to maintain 45° extension of wrist. Velcro straps on posterior. Soft, resistant and washable material.	Medium	
110	Regular wrist splint	Right Wrist orthosis that fits wrist and thumb. With aluminum anterior plate to maintain 45° extension of wrist. Velcro straps on posterior. Soft, resistant and washable material.	Large	
111	Regular wrist splint	Left Wrist orthosis that fits wrist and thumb. With aluminum anterior plate to maintain 45° extension of wrist. Velcro straps on posterior. Soft, resistant and washable material.	Small	
112	Regular wrist splint	Left Wrist orthosis that fits wrist and thumb. With aluminum anterior plate to maintain 45° extension of wrist. Velcro straps on posterior. Soft, resistant and washable material.	Medium	
113	Regular wrist splint	Left Wrist orthosis that fits wrist and thumb. With aluminum anterior plate to maintain 45° extension of wrist. Velcro straps on posterior. Soft, resistant and washable material.	Large	

				l i
114	Shoulder sling	Prefabricated articulated arm sling in light, washable fabric (canvas). Sling needs to support a forearm in a plaster cast, if necessary. A strap attached to the sling immobilizes the shoulder. Velcro fasteners.	Small	
		If possible, choose an adjustable strap.		
115	Shoulder sling	Prefabricated articulated arm sling in light, washable fabric (canvas). Sling needs to support a forearm in a plaster cast, if necessary. A strap attached to the sling immobilizes the shoulder: Velcro fasteners. If possible, choose an adjustable strap.	Medium	
116	Shoulder sling	Prefabricated articulated arm sling in light, washable fabric (canvas). Sling needs to support a forearm in a plaster cast, if necessary. A strap attached to the sling immobilizes the shoulder: Velcro fasteners. If possible, choose an adjustable strap.	Large	
117	Shoulder sling	Prefabricated articulated arm sling in light, washable fabric (canvas). Sling needs to support a forearm in a plaster cast, if necessary. A strap attached to the sling immobilizes the shoulder. Velcro fasteners. If possible, choose an adjustable strap.	X-large	
118	Thoraco Lumber Belt	Dorso lumbar support	Medium	
119	Thoraco Lumber Belt	Dorso lumbar support	Large	
120	Thoraco Lumber Belt	Dorso lumbar support	X-Large	
121	Bed Sheet-plastic			
122	Rubber stick		For Axillary	
123	Rubber stick		for Elbow	
124	Rubber stick		For Walker	
			For Tripod /	
125	Rubber stick		Quadripo	
426	Anti-Bedsore Air		de	
126	Mattresses	electric		
127	Anti-pressure cushion gel foam	Pillow for wheelchair /Pressure sore prevention /Gel and foam/ With removable cover	35cm	
128	Anti-pressure cushion gel foam	Pillow for wheelchair /Pressure sore prevention /Gel and foam/ With removable cover	40cm	
129	Anti-pressure cushion gel foam	Pillow for wheelchair /Pressure sore prevention /Gel and foam/ With removable cover	45cm	
130	Anti-pressure cushion gel foam	Pillow for wheelchair /Pressure sore prevention /Gel and foam/ With removable cover	50cm	
131	Anti-pressure cushion gel foam	Pillow for wheelchair /Pressure sore prevention /Gel and foam/ With removable cover	55cm	
132	Anti-pressure cushion gel foam	Pillow for wheelchair /Pressure sore prevention /Gel and foam/ With removable cover	60cm	
133	Anti-pressure sore foam cushion	Pillow for wheelchair /Pressure sore prevention /Gel and foam/ With removable cover	35 Cm	
134	Anti-pressure sore foam cushion	Pillow for wheelchair /Pressure sore prevention /Gel and foam/ With removable cover	40 Cm	
135	Anti-pressure sore foam cushion	Pillow for wheelchair /Pressure sore prevention /Gel and foam/ With removable cover	45 Cm	
136	Anti-pressure sore foam cushion	Pillow for wheelchair /Pressure sore prevention /Gel and foam/ With removable cover	50 Cm	
137	Anti-pressure sore foam cushion	Pillow for wheelchair /Pressure sore prevention /Gel and foam/ With removable cover	55 Cm	
138	Bed Pan	Bedpan with ergonomic seat form. Plastic or metal. Available with lid. With inside ledges for easier installation and soft rim to prevent injuries.		
139	CP positioning chair	corner seat or normal seat with dome, head rest and belts Extra specifications(attached table, foot rest)	Child(S, M, L)	

140	Elastic bandage	Elastic bandages providing support and compression. Roll of maximum 1.5 m in length. A fastener to hold the bandage in place. Washable.	10 cm	
141	Elastic bandage	Elastic bandages providing support and compression. Roll of maximum 1.5 m in length. A fastener to hold the bandage in place. Washable.	15 cm	
142	Hot bag	For warming Use / Filled with Hot Water.		
143	Mirror	Round Small with Handle / to observe hidden body areas.		
144	Pump for wheelchair	easily to be used		
145	Push-up blocks	Ergonomic, non-slip support handle for floor exercises.		
146	Re-Education Ball	Ball in soft, non-slip PVC material. Sizes (diameter between 30 and 50 cm) - weight between 1 to 3 kg. Different colors.		
147	Soft Ball	Density for exercise level: Soft/Light Foam or gel softball. Diameter: between 7 and 10 cm.	Pink	
148	Soft Ball	Density for exercise level: Medium Foam or gel softball. Diameter: between 7 and 10 cm.	Blue	
149	Soft Ball	Density for exercise level: Hard Foam or gel softball. Diameter: between 7 and 10 cm.	Orange	
150	Theraband	Light	Gree	
151	Theraband	Silicone-coated elastic bands. Minimum sizes: Length = 150 cm to 200 cm and width = 12 cm to 20 cm. Type of extensibility: strong - medium - low. Roll of 3 to 5 m. The most common trade name for this product is THERABAND.	BLUE	
152	Theraband	Silicone-coated elastic bands. Minimum sizes: Length = 150 cm to 200 cm and width = 12 cm to 20 cm. Type of extensibility: strong - medium - low. Roll of 3 to 5 m. The most common trade name for this product is THERABAND.	Red	
153	Theraband	Silicone-coated elastic bands. Minimum sizes: Length = 150 cm to 200 cm and width = 12 cm to 20 cm. Type of extensibility: strong - medium - low. Roll of 3 to 5 m. The most common trade name for this product is THERABAND.	Gold	
154	Theraband	Silicone-coated elastic bands. Minimum sizes: Length = 150 cm to 200 cm and width = 12 cm to 20 cm. Type of extensibility: strong - medium - low. Roli of 3 to 5 m. The most common trade name for this product is THERABAND.	Yellow	
155	Theraband	Silicone-coated elastic bands. Minimum sizes: Length = 150 cm to 200 cm and width = 12 cm to 20 cm. Type of extensibility: strong - medium - low. Roll of 3 to 5 m. The most common trade name for this product is THERABAND.	Black	
156	Theraband	Silicone-coated elastic bands. Minimum sizes: tength = 150 cm to 200 cm and width = 12 cm to 20 cm. Type of extensibility: strong - medium - low. Roll of 3 to 5 m. The most common trade name for this product is THERABAND.	Gray	
157	Tollet chair + Bucket	With wheels and brakes Foldable movable toileting seat and a toilet - Backrest in plastic of average height, stable armrests (can be removable for easier transfer). The components of the chair should be light-weight (easy to transport) and washable (ensure hygiene). Seat height adjustable between 40 and 55 cm. Seat width: average of 42 cm. Seat depth: average of 50 cm. In aluminum Sizes: Adult		

158	Toilet chair + Bucket or commode chair	With wheels and brakes Foldable movable toileting seat and a toilet - Backrest in plastic of average height, stable armrests (can be removable for easier transfer). The components of the chair should be light-weight (easy to transport) and washable (ensure hygiene). Seat height adjustable between 40 and 55 cm. Seat width: average of 42 cm. Seat depth: average of 50 cm. In aluminum Sizes: Adult					
159	Toilet chair- Child	Foldable chair if possible. With removable toileting seat and a toilet bowl. Backrest in plastic of average height, stable armrests (can be removable for easier transfer). The components of the chair should be light-weight (easy to transport) and washable	child				
160	Transfer board	Made with strong plastic or wood. If wood, the transfer board should be sanded and Varnished. Light. Straight or curve: Length: 70 cm width: 21 to 23 cm, thickness: 15 mm. If possible: with cut-out handles for gripping.					
161	Urinal flask	1L urinal flask. Plastic (usually white plastic). If possible, with handle for easy use.					
162	Anti-pressure sore water mattress	Water With Velcro attach Made of soft material to prevent harm to the patient					
163	Wheelchair belt Universal Adaptive Cuff	Wide	<u> </u>	<u> </u>	\square	4	
164	Utensil holder		 '	 '	 /	4	
165	Foam tubing for utensils with S-M-L diameters	<u> </u>	_'	[_'	_!		
166	Hand grip Reacher					1	
167	Toilet seat raiser with removable arms	!	['	['			
168	Sock /shoes wearing aid	 				1	
	Company			Total	1	1	
	name:			!	1		
	Owner name:				1		
	Signature and stamp						
	Offer validity date:		<u> </u>		j		
	Date:				I		
	Legal documents requested:						
	* Company registration certificate * Commercial circular * ID of the owner					شهادة تسجيل اذاعة تجارية هوية صاحب ا	
	N.B: Prices Should include delivery covering Akkar, Beirut to South and all Bekaa. Requirements: - Number of estimated beneficiaries, between 40 to 60 for mobility assistive devices, 30 for orthosis and prosthesis Service Time: Very fast appointments measurement, then delivery delay for mobility aids 1 week, orthosis around 15 days and prosthesis 20 days.						

Payment conditions: Bank check in USD cashed fresh money from the Bank – Banking commission (6\$/1000) payable by the supplier.